

I.

That Zoning and Development Code, Chapter 8, Article VI, Code of Ordinances (2018 Edition), City of Round Rock, Texas, is hereby replaced in its entirety and shall read as follows:

Sec. 8-45. - General.

(a) *Applicability.*

- (1) *New development.* The off-street parking and loading standards of this section apply to any new building constructed and to any new use established, except as specified below in Sec. 8-46(a).
- (2) *Expansions and alterations.* The off-street parking and loading standards of this section apply when an existing structure or use is expanded or enlarged. Additional off-street parking and loading spaces will be required to serve the entire building or use. The number of off-street parking and loading spaces provided for the entire use (pre-existing + expansion) shall equal at least 100 percent of the minimum requirement established in the off-street parking requirements table, in Sec. 8-46(a) of this section, except for the uses which do not have minimum parking requirements.

(b) *No reduction below requirement.* Existing parking and loading spaces may not be reduced below the requirements established in this section for uses subject to minimum parking requirements. Uses with no minimum parking requirement may reduce off-street parking spaces voluntarily. Any change in use that increases applicable off-street parking or loading requirements will be deemed a violation of this code unless parking and loading spaces are provided in accordance with the provisions of this section.

(c) Accessible parking. Whenever off-street parking spaces are provided, whether required or optional, they shall include the number of accessible parking spaces, signage, dimensions, and accessible routes required by the Americans with Disabilities Act (ADA), the Texas Accessibility Standards (TAS), and Sec. 42-310 of the Code of Ordinances. When no off-street parking spaces are provided, no accessible parking spaces are required.

(d) Fleet parking. On-site parking for fleet vehicles shall be required where applicable.

Sec. 8-46. - Off-street parking requirements.

(a) *Off-street parking requirements table.* The following table lists minimum off-street parking requirements by land use category: Where a minimum parking requirement is not specified for a use, off-street parking shall not be required, except where minimum parking requirements apply to certain uses in the SF-R, SF-2, SF-D, C-2, and MU-R zoning districts.

Off-Street Parking Requirements			
Use	<u>Minimum Parking General Requirement</u>	<u>Optional Recommendation</u>	Additional Notes
<i>Residential Uses</i>			
Single-Family: attached, detached, zero lot line, village residential (SF-R, SF-1, SF-2, SF-3, MH, TF)	For lots in platted subdivisions recorded prior to January 1, 2002: 2 off-street spaces per dwelling unit. For lots in platted subdivisions recorded in 2002 and later: 4 per dwelling unit; a minimum of 2 spaces shall be garage-enclosed	<u>N/A</u>	
Townhouse	4 per dwelling unit. Additional 5 percent of total number of required spaces A minimum of 2 spaces per unit shall be garage-enclosed	<u>N/A</u>	
MF-1	1 per 1 or 2 bedroom unit; 2 per 3+ bedroom unit.	<u>N/A</u>	All minimum parking shall be garage enclosed spaces.
MF-2	1.5 per 1-bedroom unit; 2 per 2-bedroom unit; and 2.5 per 3+ bedroom unit. Additional 5 percent of total number of required spaces	<u>N/A</u>	
Upper story residential	1.5 per bedroom	<u>N/A</u>	
Group home, six or fewer persons	N/A	<u>N/A</u>	

Assisted living	0.5 per dwelling unit; 1.5 per 2 employees	<u>N/A</u>	Variations to this standard shall be considered by the zoning administrator to reflect the mobility needs of the targeted population of a specific development
Senior housing, attached (independent living)	1 per dwelling unit	<u>N/A</u>	
<i>Public and Civic Uses</i>			
Community Service	<u>N/A except in C-2 and MU-R districts: 1 per 250 ft. GFA</u>	<u>1 per 250 ft. GFA</u>	<u>All fleet parking must be accommodated on site</u>
Day care, in-home six or fewer children	N/A	<u>N/A</u>	
Day Care	3.5 per 1,000 ft. GFA	<u>N/A</u>	Vehicle stacking spaces included in any student drop-off area may qualify as permitted parking spaces provided the drop-off area meets the specifications described in Sec. 8-52(e) <u>Sec. 8-50 (e)</u> , below
Elementary and Middle Schools	3 per classroom	<u>N/A</u>	
High Schools	10 per classroom	<u>N/A</u>	
All other Educational Facilities, including higher education	A parking study shall be required to determine the required number of parking spaces.	<u>N/A</u>	

Government Facilities	<u>N/A except in C-2 and MU-R districts: 1 per 250 ft. GFA; and 1 per fleet vehicle</u>	<u>1 per 250 ft. GFA; and 1 per fleet vehicle</u>	<u>All fleet parking must be accommodated on site</u>
Hospitals	4 per patient bed	<u>N/A</u>	
Institutions	1 per 250 ft. GFA; and 1.5 per 2 employees	<u>N/A</u>	
Community Parks	Varies		Parking requirement based on uses in park; must be reviewed and approved by zoning administrator
Amenity Centers	1.5 per 250 ft. GFA; 1 per 300 square feet of designated outdoor recreation areas	<u>N/A</u>	
Parks (community, linear/linkage, neighborhood, regional/metropolitan); Parks and Recreation facilities; Country Clubs	Varies		Parking requirement based on uses in each park/club; must be reviewed and approved by zoning administrator
Golf Courses	<u>N/A 4 per hole; and 1.5 per 250 ft. GFA of accessory use structures</u>	<u>4 per hole; and 1.5 per 250 ft. GFA of accessory use structures</u>	<u>All fleet parking must be accommodated on site</u>
Cemeteries, Columbaria, Mausoleums, Memorial Parks and Crematoria	<u>N/A 1 per 50 interment plots (cemeteries and memorial parks); 1 per 350 ft. GFA (mausoleum and crematorium)</u>	<u>1 per 50 interment plots (cemeteries and memorial parks); 1 per 350 ft. GFA (mausoleum and crematorium)</u>	<u>All fleet parking must be accommodated on site</u>

Funeral Home	<u>N/A 1 per 100 ft. GFA</u> <u>Minimum of 20 spaces</u>	<u>1 per 100 ft. GFA</u> <u>Minimum of 20 spaces</u>	<u>All fleet parking must be accommodated on site</u>
Park and Ride Facility	N/A	<u>N/A</u>	
All other Passenger Terminals	<u>N/A except in MU-R district: 2 per 250 ft. GFA</u>	<u>2 per 250 ft. GFA</u>	<u>All fleet parking must be accommodated on site</u>
Place of Worship, no accessory uses	1 per 3 seats	<u>N/A</u>	
Place of Worship, with accessory uses	1 per 3 seats in place of worship. Spaces necessary to accommodate accessory uses based on requirement for accessory use	<u>N/A</u>	
Wireless Transmission Facilities	<u>N/A None</u>	<u>N/A</u>	
Major Utilities	<u>N/A 1 per facility;</u> <u>1 additional per 250 ft. GFA; and 1 per fleet vehicle</u>	<u>1 per facility; 1 additional per 250 ft. GFA; and 1 per fleet vehicle</u>	<u>All fleet parking must be accommodated on site</u>
Intermediate Utilities	<u>N/A None</u>	<u>N/A</u>	<u>All fleet parking must be accommodated on site</u>
Minor Utilities	<u>N/A None</u>	<u>N/A</u>	<u>All fleet parking must be accommodated on site</u>
<i>Commercial Uses</i>			
Restaurants/bars	<u>N/A except in C-2 and MU-R districts: 1 per 100 ft. GFA; and with 1 per 100 square ft. of outdoor seating areas</u>	<u>1 per 100 ft. GFA; and with 1 per 100 square ft. of outdoor seating</u>	<u>All fleet parking must be accommodated on site</u>

Outdoor entertainment facilities	Stadium: 1 per 4 people based on maximum seating capacity Amusement park/Miniature golf course: 1 space for each 200 ft. GFA of enclosed building space devoted to customer service and administration, plus 1 space for every 3 people that the outdoor facilities are designed to accommodate at maximum capacity	<u>N/A</u>	
Indoor entertainment activities	1 per 250 ft. GFA; or 1 per 4 seats for theaters. 1 additional per 500 ft. GFA up to 50,000 ft. GFA; 1 per 1,000 ft. thereafter, excluding theaters	<u>N/A</u>	
Event center	1 space per two occupants based on maximum occupancy	<u>N/A</u>	
Office	<u>N/A except in C-2 and MU-R districts: 1 per 250 ft. GFA</u>	<u>1 per 250 ft. GFA</u>	<u>All fleet parking must be accommodated on site</u>
Medical Office Building	1 per 200 ft. GFA	<u>N/A</u>	
Animal hospital/veterinary clinic	1 per 200 ft. GFA	<u>N/A</u>	
Call Center	<u>N/A 8 per 1,000 ft. GFAs</u>	<u>8 per 1,000 ft. GFA</u>	

Bed and Breakfast	<u>N/A except in SF-R, SF-2, SF-D, C-2, and MU-R districts: 1 per bedroom; and</u> 1.5 per 2 resident owners	<u>1 per bedroom; and</u> <u>1.5 per 2 resident owners</u>	
Hotel/Motel/Lodging	±0.8 per bedroom; 1.5 per 2 employees; and 1 per 150 ft. of conference space over 2,000 ft. GFA	<u>N/A</u>	
Shopping Centers (mixture of uses) ≥ 100,000 sq. ft.	N/A 1 per 225 ft. GFA	<u>1 per 225 ft. GFA</u>	
All other Retail Sales and Service	<u>N/A except in C-2 and MU-R districts: 1 per 250 ft. GFAS</u>	<u>1 per 250 ft. GFA</u>	<u>All fleet parking must be accommodated on site</u>
Self-Service Storage	N/A 1 space per 50 storage units	<u>1 space per 50 storage units</u>	<u>All fleet parking must be accommodated on site</u>
Car wash, full-service	1 per 150 ft. GFA; N/A except stacking spaces requirements listed in Sec. 8-52(a)	<u>1 per 150 ft. GFA</u>	<u>Shall meet off-street stacking space requirements from this section</u>
Car wash, self-service	1 per facility N/A except stacking spaces requirements listed in Sec. 8-52(a)	<u>1 per facility</u>	<u>Shall meet off-street stacking space requirements from this section</u>
Auto repair, service, and body shop facilities	1 per 250 ft. GFA; 1 additional per 1,000 square feet of outdoor lot, storage or repair bay area	<u>N/A</u>	Shall meet off-street stacking space requirements from this section

Auto sales, rental or leasing facilities	1 per 500 ft. GFA indoor facility; and 1 additional per 1,000 ft. GFA outdoor lot area	<u>N/A</u>	
All other auto sales and service	1 per 250 ft. GFA; and 5 per service bay	<u>N/A</u>	
<i>Industrial Uses</i>			
Light Industrial Service, Manufacturing and Assembly	1 per 500 ft. GFA indoor facility; and 1 per additional 1,000 ft. GFA outdoor facility; and 1 per 2,500 ft. indoor storage area	<u>N/A</u>	
Warehouse and Freight Movement	1 per 500 ft. GFA indoor facility; and 1 per additional 1,000 ft. GFA outdoor facility; and 1 per 2,500 ft. indoor storage area	<u>N/A</u>	
Mineral Extraction	1 per 300 ft. GFA indoor facility; and 1.5 per 2 employees	<u>N/A</u>	
Waste-Related Service	1 per 250 ft. GFA; and 1 per additional 1,000 ft. GFA outdoor facility; 1 per 2,500 ft. indoor storage area	<u>N/A</u>	

Wholesale Trade	1 per 300 ft. GFA indoor facility; and 1 per additional 1,000 ft. GFA outdoor facility; and 1 per 2,500 ft. indoor storage area	<u>N/A</u>	
Heavy Equipment Sales and Leasing	1 per 500 <u>250 sq. ft.</u> GFA; and 1 additional per 500 <u>sq. ft. of GFA outdoor sales and display area</u> up to 50,000 <u>sq. ft. GFA</u>	<u>N/A</u>	
Office/Warehouse	1 per 500 ft. GFA	<u>N/A</u>	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

(b) *Residential parking requirements.*

- (1) *Applicability.* This subsection (b) shall apply to any lot in a residential zoning district, as identified in Chapter 2, Zoning Districts and Use Regulations, except for the AG (Agricultural), MF-2 (Multifamily - Medium Density) and MF-3 (Multifamily - Urban) zoning districts.
- (2) *Standards.* Driveways and improved surfaces shall be constructed and designed pursuant to the driveway standards as stated in the Design and Construction Standards Transportation Criteria Manual (DACs), as adopted or amended by the city.
- (3) *Driveway maintenance.* Improved driveways and improved surfaces shall be maintained in good and safe condition, free of holes, cracks, spoiling or other failures that may affect the use, drainage or longevity of the material. This shall not prohibit the use of approved surfaces specifically designed to include an alternative component, for example, grass or sand between paving stones.
- (4) *Street yard coverage.* For non-corner residential lots, no combination of improved driveways and/or improved surfaces shall cover more than 50 percent of the street yard. For corner residential lots, no combination of improved driveways and/or improved surfaces shall cover more than 25 percent of the street yard. The regulations of this subsection shall not affect or prohibit the construction of the minimum driveway, as required by the DACs.

(c) *Screening.* Where vehicle parking on a residential lot is required to be screened, the screening shall consist of:

- (1) A solid, opaque fence or wall at least six (6) feet in height;
- (2) Vegetation consisting of a solid hedge row or evergreen shrubs, or trees and shrubs, providing full screening from the ground to a minimum height of six (6) feet; or
- (3) A combination of the subsections (c)(1) and (2) of this section.

Screening shall not be required in the rear yard for vehicles parked on an improved driveway that is constructed in accordance with the DACs.

(d) *Unimproved driveways and unimproved parking areas; nonconforming use.*

- (1) An unimproved driveway and an unimproved parking area, which are located in a street yard or a side yard shall be considered as nonconforming uses and subject to the regulations regarding nonconforming uses in Sec. 2-98(c). Specifically, such unimproved driveway or unimproved

1 parking area shall not be extended or expanded, nor changed except to an improved driveway,
2 an improved surface used for parking, or an unimproved surface.

3 (2) If the building or structure that is served by the unimproved driveway is damaged or destroyed
4 to an extent greater than 50 percent of its fair market value (as determined by the most recent
5 appraised value of the appraisal district in which the building or structure is located), and if such
6 building or structure is repaired or replaced, the unimproved driveway shall no longer be
7 permitted, and all off-street parking shall be required to be on an improved driveway.

8 (3) If the building or structure that is served by the unimproved driveway is increased by 25 percent
9 or more in the square footage, the unimproved driveway shall no longer be permitted, and all off-
10 street parking shall be required to be on an improved driveway.

11 **Sec. 8-47. - Alternative parking plan and shared parking.**

12 (a) *Alternative parking plan.* An alternative parking plan may be approved by the zoning administrator for
13 specific developments with uses subject to minimum parking requirements that are deemed to require
14 a different amount of parking than the standards shown in the off-street parking requirements table.
15 Uses without minimum parking requirements may voluntarily submit an alternative parking plan. The
16 zoning administrator shall establish conditions necessary to insure the adequacy of future on-site
17 parking when approving an alternate parking plan. Any alternative standard shall meet the criteria
18 below:

19 (1) The use of the building is specific and occupied by a single user.

20 (2) The applicant provides a detailed breakdown of his or her parking requirements indicating
21 employee counts, shift distribution and visitor or customer needs.

22 (3) The applicant provides a site plan showing how additional parking to meet standard requirements
23 would be provided if the use changed or parking needs increase.

24 (b) *Shared parking.* Required parking for one use may satisfy the requirements for another use if the
25 nonresidential uses have different peak hour parking needs. Uses without minimum parking
26 requirements may participate in shared parking agreements on a voluntary basis. In order for shared
27 parking to be approved, the following requirements must be met; and the following:

28 (1) The following documentation shall be submitted to the city as part of the review process if
29 requesting shared parking:

30 a. The names and addresses of the uses and the owners or tenants that are sharing the
31 parking;

32 b. The location and number of parking spaces that are being shared;

33 c. An analysis showing that the peak parking demands for the different uses occur at different
34 times and that the parking area will supply at least the minimum number of required spaces
35 for each use during its respective peak parking time;

36 d. A legal instrument such as an easement that guarantees access to the joint parking for all
37 uses;

38 e. A shared parking agreement executed by all the users and the owner of the property
39 proposed to be used for parking; and

40 f. The agreement shall be notarized and recorded, with a provision that the consent of the city
41 must be obtained for termination of the agreement.

42 (2) In the event of the termination of an existing shared parking agreement for required on-site
43 parking, a new shared parking agreement shall be executed within 60 days prior to termination.
44 If a new shared parking agreement is not executed, then documentation shall be submitted to the
45 zoning administrator supporting that the uses on all affected properties meet their respective
46 parking requirements. This process of amending a shared parking agreement applies to all

1 existing parking agreements impacted by sale, change of use, or expansions on any affected
2 property.

3 (c) *Alternative agreements.* In limited cases, off-site parking agreements, and reciprocal access and
4 parking agreements may be approved by the zoning administrator.

5
6 ~~Sec. 8-48. - Exceptions to off-street parking requirements.~~

7
8 ~~The property owners of lots 8 through 19, block 9; lots 1 through 9, block 22; and lots 11 through 19, block 8;~~
9 ~~all in the original plat of Round Rock, are not required to comply with the off-street parking requirements stated in~~
10 ~~Sec. 8-47 of this section.~~

11 ~~Sec. 8-49. - Reserved.~~

12 **Sec. 8-5048. - Rules for computing requirements.**

13 The following rules apply when computing off-street parking and loading requirements:

14 (a) *Multiple uses.* Lots containing more than one use shall provide parking and loading in an amount
15 equal to the total of the requirements for all uses: that have minimum parking requirements; uses
16 without minimum parking requirements do not contribute to the total.

17 (b) *Fractions.* When measurements of the number of required spaces result in a fractional number,
18 any fraction of one-half or less will be rounded down to the next lower whole number and any
19 fraction of more than one-half will be rounded up to the next higher whole number.

20 (c) *Area measurements.* Unless otherwise expressly stated, all square-footage-based parking and
21 loading standards shall be computed on the basis of gross floor area, as defined in Sec. 1-50.

22 (d) *Occupancy-based standards.* For the purpose of computing parking requirements based on
23 employees, residents or occupants, calculations shall be based on the largest number of persons
24 working on any single shift, the maximum enrollment or the maximum fire-rated capacity,
25 whichever is applicable and whichever results in the greater number of spaces.

26 (e) *Unlisted uses.* Upon receiving a development application for a use not specifically listed in the
27 off-street parking requirements table, the zoning administrator shall apply the off-street parking
28 standard specified for the listed use that is deemed most similar to the proposed use or require a
29 parking study in accordance with an alternative parking plan, as described in Sec. 8-47, above.

30 **Sec. 8-5149. - Location, setbacks and buffering of required parking.**

31 Except where an alternative parking plan has been approved by the zoning administrator, all
32 ~~required~~ off-street parking spaces shall be located on the same lot as the principal use. Unless otherwise
33 expressly stated, off-street parking areas shall be set back in accordance with Sec. 8-10.

34 **Sec. 8-5250. - Parking space and parking lot design.**

35 (a) *Parking space dimensions.* ~~Required-All~~ off-street parking spaces shall have minimum dimensions of
36 nine (9) feet in width by 18 feet in length. Parallel parking spaces shall have minimum dimensions of
37 eight and a half (8.5) feet in width by 22 feet in length.

38 (b) *Aisle widths.* Drive aisle widths adjoining off-street parking spaces shall comply with the following
39 standards:

Minimum Width for Specified Parking			
90 degrees	75 degrees	60 degrees	45 degrees or less
26 ft.	23 ft.	16 ft.	12.5 ft.

1 Note: Two-way aisles shall always require a minimum width of 26 feet.

2 (c) *Markings.*

3 (1) Each ~~required~~ off-street parking space and off-street parking area shall be identified by surface
 4 markings at least four (4) inches in width. Markings shall be visible at all times. Such markings
 5 shall be arranged to provide for orderly and safe loading, unloading, parking and storage of
 6 vehicles.

7 (2) One-way and two-way accesses into required parking facilities shall be identified by directional
 8 arrows.

9 (d) *Surfacing and maintenance.* All off-street parking areas, drive aisles, internal roadways, and loading
 10 areas for all uses shall be paved and kept in a dust-free condition at all times.

11 (e) *Access and circulation.*

12 (1) ~~Required parking~~ Parking spaces shall not have direct access to a street or highway. Access to
 13 ~~required~~ parking spaces shall be provided by on-site driveways. Off-street parking spaces shall
 14 be accessible without backing into or otherwise reentering a public right-of-way.

15 (2) Site plans for retail developments greater than a cumulative 50,000 gross square feet shall
 16 designate a primary vehicle circulation route entering and exiting the development.

17 a. Landscape median islands or end islands, as described in Sec. 8-10(f)(1)d., shall be
 18 immediately adjacent to the primary vehicle circulation route for the entire length of the route
 19 (excluding pedestrian access and the face of primary buildings).

20 b. Parking is prohibited along primary vehicle circulation routes in order to prevent overflow
 21 stacking onto rights-of-way and primary circulation routes. Parking is prohibited adjacent to
 22 the entire elevation of a building which includes the primary pedestrian access to cause
 23 internal circulation conflicts.

24 (3) Day care facilities which incorporate a drop-off area must designate said area on the site plan.
 25 The drop-off area shall be separated from all internal drive aisles by a physical barrier such as a
 26 median, curbing, a building or other similar site improvements, and shall not impede on- or off-
 27 site traffic movements including access for emergency vehicles. Each stacking space shall be a
 28 minimum of 10 feet by 20 feet. Stacking spaces shall qualify toward the minimum parking
 29 requirement.

30 (f) *Tandem parking.* Tandem parking in the multifamily or senior zoning districts shall be permitted only
 31 when it is located in front of a garage, which is attached to a dwelling unit and the tandem space is
 32 assigned only to the dwelling unit to which the garage is attached.

33 **Sec. 8-5351. - Use of ~~required~~ parking spaces.**

34 (a) ~~Required off~~ Off-street parking areas shall be used solely for the parking of licensed motor vehicles in
 35 operating condition. Required spaces may not be used for storage of trash dumpsters, the display of
 36 goods for sale or lease, for motor vehicle repair or service work of any kind, storage of vehicles, boats,
 37 motorhomes, campers, mobile homes, or building materials, or for display or storage of vehicles for
 38 lease, sale or rent.

1 (b) Whenever off-street parking areas are provided, they may not be converted for the use of storage,
2 outdoor display, or similar site functions without compliance with other relevant sections of the code
3 including applicable screening requirements.

4
5 (c) (b) Recreational vehicles shall not be stored on any lot or street other than a residential lot of the
6 owner or a site specifically designed and approved by the zoning administrator to accommodate them.

7 **Sec. 8-5452. - Vehicle stacking areas.**

8 (a) *Minimum number of spaces.* Off-street stacking spaces shall be provided as indicated in the following
9 table:

Minimum Off-Street Stacking Spaces		
Activity Type	Minimum Spaces	Measured From
Bank teller lane	4	Teller or window
Automated teller machine lane	3	Automated Teller Machine
Restaurant drive-through lane	6	Order box
	4	Order box to pick-up window
Car wash stall, automatic	4	Entrance to wash bay
Car wash stall, self-service	2	Entrance to wash bay
Gasoline pump island	2	Pump island
Pharmacy drive-through lane	3	Service window
Dry Cleaner drive-through lane	3	Service window
Other	Determined by zoning administrator	

10 (b) *Design and layout.* Required stacking spaces are subject to the following design and layout standards:

11 (1) *Size.* Stacking spaces shall be a minimum of 10 feet by 20 feet in size.

12 (2) *Location.* Stacking spaces may not impede on- or off-site traffic movements or movements into,
13 or out of off-street parking spaces.

14 **Sec. 8-5553. - Parking and storage of large vehicles and equipment.**

15 (a) Outdoor storage or parking of tractor-trailers, semi-trucks, semi-trailers, or other vehicles having a
16 gross vehicle weight rating of 17,000 pounds or more, shall be prohibited in any residential district and
17 in the C-2 and OF-1 zoning districts. This prohibition shall not apply to pickup trucks, or personal

1 recreational equipment. Construction equipment shall not be stored on lots in residential or commercial
2 districts except during the period of permitted construction.

3 (b) This section shall not prevent the parking or standing of the vehicles described in Sec. 8-55(a) of this
4 section in any district for the purpose of expeditiously loading and unloading passengers, freight, or
5 merchandise.

6 (c) Screening from public rights-of-way or lower intensity residential uses shall be required in multifamily
7 developments for areas designated or available for parking and storage of recreation vehicles, boats,
8 small trailers and other noncommercial equipment. Such screening shall consist of permanent material
9 such as concrete, masonry, wood, steel, etc.

10 **Sec. 8-5654. - Off-street loading.**

11 (a) *No use of public right-of-way.* At no time shall goods be loaded or unloaded from the right-of-way of
12 a collector or arterial street. No part of any vehicle shall be allowed to extend into the right-of-way of a
13 collector or arterial street while being loaded or unloaded.

14 (b) *Location.* Plans for location, design and layout of all loading spaces shall be indicated on required site
15 plans. Loading space size shall be based on need and in accordance with standard engineering
16 requirements as determined by the zoning administrator.

17 **Secs. 8-5755—8-59. - Reserved.**

18
19 **II.**

20 **A.** All ordinances, parts of ordinances, or resolutions in conflict herewith are
21 expressly repealed.

22 **B.** The invalidity of any section or provision of this ordinance shall not
23 invalidate other sections or provisions thereof.

24 **C.** The City Council hereby finds and declares that written notice of the date,
25 hour, place and subject of the meeting at which this Ordinance was adopted was posted
26 and that such meeting was open to the public as required by law at all times during which
27 this Ordinance and the subject matter hereof were discussed, considered and formally
28 acted upon, all as required by the Open Meetings Act, Chapter 551, Texas Government
29 Code, as amended.

30

1 Alternative one.

2 By motion duly made, seconded and passed with an affirmative vote of all the
3 Council members present, the requirement for reading this ordinance on two separate
4 days was dispensed with.

5 **READ, PASSED, and ADOPTED** on first reading this ____ day of
6 _____, 2026.

7 Alternative 2.

8 **READ and APPROVED** on first reading this the ____ day of
9 _____, 2026.

10 **READ, APPROVED and ADOPTED** on second reading this the ____ day of
11 _____, 2026.

12
13
14
15
16
17
18
19
20

CRAIG MORGAN, Mayor
City of Round Rock, Texas

ATTEST:

ANN FRANKLIN, City Clerk