

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 0
- 1
- 2
- 3

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ROUND ROCK,

S:

That Chapter 30, Section 30-4, Code of Ordinances (2010 Edition), City of Round Rock, Texas, is hereby amended to add the definition of “Fascia Mounted Sign” to read as follows:

The following words and phrases used in this chapter shall have the following meanings:

II.

That Chapter 30, Section 30-4, Code of Ordinances (2010 Edition), City of Round Rock, Texas, is hereby amended to amend the definition of “Wall Sign” to read as follows:

The following words and phrases used in this chapter shall have the following meanings:

III.

That Chapter 30, Section 30-8(b), Code of Ordinances (2010 Edition), City of Round Rock, Texas, is hereby amended to read as follows:

Sec. 30-8. Building sign standards.

(b) Wall signs.

Wall Signs							
Building Criteria	Building shall have a plane that can accommodate the placement of a sign.						
Number, Amount of Building Signage/Items of Information	When maximum square footage of sign display area for wall signs is less than 100 square feet, an additional ten square feet of sign display area of wall signs, hanging or projecting signs, or awning/canopy signs shall be permitted. Regardless of the length of frontage, the owner/occupant is entitled to a sign of at least 20 square feet.						
Sign Size By Road Type or Special Area per Occupant Frontage (Amount allowed shall be whichever measurement is less)		Freeway	Commercial Road	Neighborhood Road	Not Facing a Public ROW	Special Area - OS; DT	Sharing Property Line with SF or TF Zoned Lot
	Maximum square feet of sign display area	300	200	75	none	40	0
	Square feet of sign display area per one linear foot of occupant frontage	2.50	2.0	1.50	1	1	0
Placement (on building)	A distance of no less than ten percent of the smallest dimension of the sign display area of a wall sign shall be provided around the entire sign display area and from any architectural features. <u>The height of a fascia mounted sign shall not exceed the peak of a pitched roof or the top of a parapet of a flat roof.</u>						
Materials & Design	Internally lit tag lines and pan-faced signs shall be permitted as wall signs. All surfaces of a sign shall be finished. Signs shall be mounted to a building so that the attachment device shall not be visible or discernible. Wall signs shall be constructed of a rigid material. Wall signs exceeding 16 square feet of sign display area shall not be a single, flat surface.						
Lighting	Internal illumination shall be permitted with the exception of in OS and DT special areas. External illumination and illumination by halation are permitted.						
Electronic Messaging Center (EMC)	Not permitted.						

IV.

A. All ordinances, parts of ordinances, or resolutions in conflict herewith are expressly repealed.

