
Kenney Fort Sec. 2 FINAL PLAT FP1503-005



CASE PLANNER: Ashley Lumpkin

REQUEST: Request approval of the Final Plat. **ZONING AT TIME OF APPLICATION:** PUD **CURRENT USE OF PROPERTY:** Undeveloped

GENERAL PLAN LAND USE DESIGNATION: Residential

ADJACENT LAND USE:

North: Brushy Creek and Undeveloped

South: Existing single-family and future Kenney Fort Section 1 (Zoned SF-2 - Single family - standard lot

and PUD)

East: Brushy Creek and Undeveloped

West: MoKan ROW and Existing single-family (Zoned SF-2 - Single family - standard lot)

PROPOSED LAND USE: Residential and Parkland

TOTALS:	95	26.41
Parkland: Other:	0	0.00
ROW:	0	4.01
Open/Common Space:	1	4.99
Industrial:	0	0.00
Commercial:	0	0.00
Office:	0	0.00
Residential - Multi Unit:	0	0.00
Residential - Single Unit:	94	17.41
PROPOSED LOTS BY TYPE:	NUMBER OF LOTS	<u>ACREAGE</u>

Owner:

Round Rock Ranch, Ltd. 2490 FM 685

Hutto, TX 78634-5096

Agent

Randall Jones & Associates Engineering,

Inc.

R. Brent Jones, P.E. 1212 E. Braker Ln.

Kenney Fort Sec. 2 FINAL PLAT FP1503-005

HISTORY: The Planning and Zoning Commission approved the Preliminary Plat on March 19, 2014.

DATE OF REVIEW: April 15, 2015

DESCRIPTION: 26.41 acres out of the Prior A. Holder Survey, Abstract No. 297.

LOCATION: Northwest corner of Forest Creek Drive and Kenney Fort Blvd.

STAFF REVIEW AND ANALYSIS:

General Plan and Zoning: The tract is zoned PUD 97 which allows for single-family residential with a minimum lot size of 6,500 square feet, reduced the rear setback from 20 ft. to 10 ft. and increased lot coverage from 40% to 50%. At least 20% of the overall lots must be over 8,000 square feet and an additional 20% must be over 10,000 square feet. Phase Two proposes a total of 94 single-family lots; 58 lots have a minimum 6,500 square feet, 27 lots are over 8,000 square feet, and 9 lots contain more than 10,000 square feet.

PUD 97 requires enhanced design features for all homes including at least 75% masonry (stone, simulated stone, brick or stucco); with 100% masonry required on the front and side elevations, additional trees on the larger lots, and native or adaptive plantings and drought tolerant grasses. The proposal complies with the Zoning and Subdivision Ordinances.

<u>Traffic, Access and Roads:</u> The Transportation Department did not require an update to the Traffic Impact Analysis (TIA) submitted and approved in 2000 for PUD 40 because the proposed residential use is less intense than the original business park land use.

<u>Water and Wastewater Service:</u> There are existing city services to serve the site. A 12-inch wastewater line exists along the southern and eastern boundaries of the site. There is a 16-inch water line in the Forest Creek Drive right-of-way.


<u>Drainage:</u> The site contains both 1% annual chance floodplain and ultimate 1% annual chance floodplain. All lots adjacent to the Ultimate 1% annual chance floodplain have a minimum finished floor at least 2 feet above the base flood elevation called out on the plat.

<u>Additional Considerations:</u> Kenney Fort Section 1 will have to be recorded prior to the second phase of development.

RECOMMENDED MOTION:


Staff recommends approval with the following conditions:

- 1. Note #1 and the parkland label on Lot 26, Block G will be updated to provide "Document No.____" to allow for the separate instrument dedication to be shown on the plat.
- 2. Benchmark note to be provided with closeout of Kenney Fort, Section 1.
- 3. Lots 11 and 23, block G easement callouts shall be "15" DSSE Doc #______".



KENNEY FORT SECTION 2

ROUND ROCK, WILLIAMSON COUNTY, TEXAS



		CUR	VE TABLE		
CURVE	LENGTH	RADIUS	DELTA	CHORD BRNG.	CHORD
C1	21.03	25.00	4871'23°	N26"48"D8"W	20.41
C2	162.65	50.00	186°22'46°	N4277'33'E	99,85
CJ	10.35	50.00	11:51'44"	N4457'58"W	10.33
C4	51,40	50.00	58'54'08"	N09'35'02"W	49.17
C5	32.96	50.00	37'46'19"	N38'45'12'E	J2.J7
	67.9J	50.00	7750'34"	NB376'21 W	62.83
C6	8.97	50.00	101634	N49'39'21'W	8.96
<i>C7</i>					20.41
C8	21.03	25.00	4871'23"	N6835'46"W	35.36
C9	39.27	25.00	90'00'00	N4277'35'E	80.55
C10	80.87	325.00	1475'24"	N85'34'45"W	
CII	1.55	325.00	0'48'05"	N87'41'35 E	4.55
C12	60.36	325.00	10'38'31"	N86'35'07"W	60.28
CIJ	15.96	325.00	2'48'49"	N79'51'27"W	15.96
C14	5B.43	275.00	1475'24	N85'34'45"W	68.25
C15 .	61,87	275.00	1253'28"	N84:53'47"W	61.74
C15	6.55	275.00	171'56"	N87'58'31'E_	5.55
C17	23.56	15.00	90'00'00"	N332703W	21.21
C18	23.56	15.00	90'00'00"	N56'32'57"E	21,21
				NO4 25 15 E	80.66
C19	80.87	325.00	1475'24"		48.78
C20	48.83	325.00	8'36'29"	N0774'42'E	
C21	32.04	325.00	5'38'55"	N000700E	J2.0J
C22	68.43	275.00	1475'24"	NO4'25'15'E	68.25
C23	23.56	15.00	90'00'00"	N3377'03'W	21.21
C24	24.77	15.00	94'37'32"	N58'51'43'E	22.05
C25	222.03	702.65	18'06'19"	N6973'53'W	221,11
C25	51.76	702.65	475'14"	N76"20"26"W	51.75
C27	57.94	702.65	4'43'28"	N71 52'04 W	57.92
C28	57.94	702.55	44528	N67'08'36"W	57.92
C29	54.40	702.55	476'09"	N62'33'48 W	54.38
					153.19
C.30	151.55	652.65	1378'47	N67'05'07"W	77.74
CJI	77.78	652.65	5'49'42"	N70724'40"W	
C32	71.52	652.65	62715°	N63'46'11"W	73.48
cu	2.25	652.65	011'50"	NEO'26'39 W	2.25
C.34	167.63	571.69	1475'24"	NO4 25 15 E	167.20
C35	10.00	673,69	051'02"_	N11'07'26 E	10.00
C36	84.85	67,169	713'00"	NO7'05'26"E	84,80
CJ7	70.31	673.69	558'47"	NO0"29"32"E_	70.28
CJS	2.47	673.69	072'36"	NO2'36'09"W	2.47
CJ9	180.07	723.59	1475'24"	NO475'15'E	179.51
C40	58.00	723.69	4'35'30"	N0975'12'E	57.98
		723.69	4'35'30"	NO4'39'42 E	57.98
C41	58.00				57.98
C42	58.00	723.69	4'35'30"	N00104'12"E	5.08
C43	6.08	723.69	0'28'54"	NO2'28'00'W	
C44	204.05	275.00	12'30'48"	N23'57'51'W	199.40
C45	23.47	275.00	4'53'22"	NO509'08"W	23.46
C46	104.89	275.00	21'51'14"	N18'31'25"W	104.26
C47	75.69	275.00	15'45'12"	N3770'09 W	75.45
C48	241.15	325.00	42'30'48"	N23'57'51"W	235.66
C49	10.26	J25.00	1"48"33"	NO3'36'44"W	10,26
C50	55.71	325.00	9'49'20"	NO9"25"40"W	55.65
C51	55.71	325.00	9'49'20"	N1975'00"W	55.65
C52	55.71	325.00	9'49'20"	N29'04'20"W	55.85
C5J	55.71	325.00	9'49'20°	N38'53'39'W	55.65
C54	8.03	325.00	1'24'56"	N44'30'47"W	8.03
C55	23.56	15.00	90'00'00"	N4277'33'E_	21.21
				N471227 W	21.21
C56	23.56	15.00	90'00'00"	N47 42 27 W	209.83
C57	212.52	385.00	31 37 36		63.06
C58	63.1J	385.00	973'40"	N077417"W	
C59	B1.05	385.00	12703'44"	N18'07'59"W	80.90
C60	68.34	385.00	101013	N2974'57'W	58.25
C61	240.12	435.00	31 37 36	NIB'31'15"W	237.08
C62	22.94	4,35.00	301'19"	NO473'06'W	22.94
CSJ	61.72	435.00	807'45"	NO9"47"39"W	61,67
C64	51.72	435,00	80746*	N17'55'25"W	61,67
C65	61.72	435.00	807'46"	N26TJ3'11"W	61,67
C66	32.01	435.00	473'00"	N3273'34"W	32.01
		2337.43	451'00"	N36'45'34"W	197.82
C67	197.88		4'51'02"		9.83
C68	9.83	2337.43	074'28"	N342717W	
C69	62.68	2337.43	1'32'11"	N352037W	62.68
	62.68	2337.43	1'32'11"	N36 52 48 W	62.68
C70		2337.43	1'32'11"	N3874'59"W	62.58
	62.68				
C70 C71	204.01	2387.43	4"5J"46"	N36'46'56"W	203.95
C70 C71 C72		2387.43		N36'46'56"W N34"38'41"W	25.88
C70 C71 C72 C73	204.01 25.88	2387.43 2387.43	4"53"46" 0"37"16"	N34"38"41"W	25.88 59.38
C70 C71 C72	204.01	2387.43	4'5J'46"	N36'46'56"W N34'38'41"W N35'40'04"W N37'05'34"W	25.88

LOT AREAS

	, , , , , , , , , , , , , , , , , , ,	7 8 9 0 1 1 2 3 4 5 6 7 8 9 20 1 22 23 24 5 6 7 8 9 20 1 22 23 24 5 6 7 8 9 20 1 22 23 24 5 6 7 8 9 20 1 20 1 20 1 20 1 20 1 20 1 20 1 20	7,788 7,758 7,758 7,758 19,343 19,343 10,981 10,081 10,001 10,001 10,002 6,862 6,861 6,864 6,864 7,229 6,882 6,882 6,882 7,289 7,289 7,289 7,289 7,289 7,289	
	LENGTH	_	BEARING	
LINE	TEMPIN	_	DEMINO	

5.50' N60'20'44'W 32.77' \$4513'15'E 12.78' N39'39'37'W 19.62' \$02'42'27'E 56.64' N06'18'19'W

18.58' N4513'15'W 51.35' N4513'15'W 36.01' N02'42'27'W 109.83' N11'32'57'E

BLOCK G:

T.5'

1. LOT 26, BLOCK G IS HEREBY DEDICATED AS PARKLAND TO THE CITY OF

NOTES:

1. LOT 26, BLOCK G IS HEREBY DEDICATED AS PARKLAND TO THE CITY OF ROUND ROCK.

2. NO FENCES, STRUCTURES, STORAGE, OR FILL SHALL BE PLACED WITHIN THE LIMITS OF THE ULTIMATE 12 ANNUAL CHANCE FLOODPLAIN; UNLESS APPROVED BY THE CITY ENGINEER. FILL MAY ONLY BE PERMITTED BY THE CITY ENGINEER AFTER APPROVAL OF THE PROPER ANALYSIS.

3. ALL SLAB ELEVATIONS SHALL BE A MINIMUM OF TWO FEET (2') ABOVE THE ULTIMATE 12 ANNUAL CHANCE FLOODPLAIN.

4. A PORTION OF THIS TRACT IS ENCROACHED BY SPECIAL FLOOD HAZARD AREAS INUNDATED BY THE 12 ANNUAL CHANCE FLOOD AS IDENTIFIED BY THE U.S. FEDERAL EMERGENCY MANAGEMENT AGENCY BOUNDARY MAP (FLOOD INSURANCE RATE MAP) COMMUNITY PANEL NUMBER 48491CD495E, EFFECTIVE DATE SEPTEMBER 26, 2008, FOR WILLIAMSON COUNTY, TEXAS. EFFECTIVE DATE SEPTEMBER 26, 2008, FOR WILLIAMSON COUNTY, TEXAS. NO OBSTRUCTIONS, INCLUDING BUT NOT LIMITED TO FENCING OR STORAGE.

SHALL BE PERMITTED IN ANY DRAINAGE EASEMENTS SHOWN HEREON. BUILDING SETBACKS SHALL BE IN ACCORDANCE WITH CHAPTER 46, ZONING. CITY OF ROUND ROCK CODE OF ORDINANCES, 2010 EDITIONS, AS AMENDED OR AS AMENDED BY PUD No. 97.

OR AS AMENDED BY PUD No. 97.
SIDEWALKS SHALL BE CONSTRUCTED IN ACCORDANCE WITH CHAPTER 35,
SUBDIVISIONS, CITY OF ROUND ROCK CODE OF ORDINANCES, 2010 EDITION,
AS AMENDED AND WITH DESIGN AND CONSTRUCTION STANDARDS.
A TEN FOOT (10) PUE AND SIDEWALK EASEMENT ABUTTING AND ALONG
THE STREET SIDE PROPERTY LINE IS HEREBY DEDICATED FOR ALL STREET
SIDE PROPERTY LOTS SHOWN HEREON.
THIS FINAL PLAT CONFORMS TO THE PRELIMINARY PLAT APPROVED BY THE
PLANNING AND ZONING COMMISSION ON MARCH 19, 2014.

STREET TABLE		RIGHT OF WAY
STREET NAME	LENGTH	HIDTH
KENNEY FORT CROSSING GENTENNIAL LOOP PIONEER GROVE EXPEDITION WAY SYCAMORE TRAIL	1097' 972' 783' 505' 145'	50' 50' 50' 50' 50'
TOTAL.	3502'	

SAGUARO TEXAS 1, LLC

OWNER:

C/O JEN PARTNERS, LLC 680 5TH AVENUE, 25TH FLOOR NEW YORK, NEW YORK 10019

ACREAGE: 26.41 ACRES
SURVEYOR: RJ SURVEYING & ASSOCIATES, INC
NUMBER OF BLOCKS: 5 LINEAR FEET OF NEW STREETS: 3502" EINEAR FEET OF NEW STREETS. 3002
SUBMITTAL DATE: MARCH 17, 2015
DATE OF PLANNING AND ZONING COMMISSION REVIEW: APRIL 15, 2015
BENCHMARK DESCRIPTION AND ELEVATION: A PERMANENT
BENCHMARK WILL BE INSTALLED TO THE CITY OF ROUND ROCK
SPECIFICATIONS UPON CONSTRUCTION OF THIS SUBDIVISION
ACREAGE BY LOT TYPE
DESCRIPTION OF THE SUBDIVISION ACREAGE BY LOT TIPE
DEVELOPMENT: 17.41 ACRES
PARKLAND: 4.99 ACRES
ROW: 4.01 ACRES
PATENT SURVEY: PRIOR A. HOLDER, ABSTRACT No. 297 ENGINEER RANDALL JONES & ASSOCIATES ENGINEERING, INC. NUMBER OF LOTS BY TYPE DEVELOPMENT: 94 PARKLAND:

IS IS IS IS IS IS IS IS IS IS
--


RANDALL JONES & ASSOCIATES ENGINEERIN	G. INC.
	.,
1212 E. BRAKER LANÉ, AUSTIN, TEXAS 78753	
(512) 836-4793 FAX: (512) 836-4817	F-9784

S:\LAND2301-2350\2321\dwg\2321-plat.dwg 330\2015 4:11:32 PM CDT

RJ SURVEYING & ASSOCIATES, INC. 1212 E. BRAKER LANE, AUSTIN, TEXAS 78753 (512) 836-4793 FAX: (512) 836-4817 F-10015400

LOT SIZE BREAKDOWN:	SECTION :	i SECTION 2	7		
LOT TYPE		No. LOTS		# OF LOTS	% REQUIRED BY PUD 97
6,500 SF - 7,999 SF	43	58	101	50 %	> 20%
8,000 SF - 9,999 SF	34	27	51	30 %	N/A
10,000 SF +	31	9	40	20%	> 20%
SPECIAL PURPOSE	4	1	5	N/A	N/A
TOTAL	112	95	207	100%	

SHEET 1 OF 3 SHEETS



KENNEY FORT SECTION 2

ROUND ROCK, WILLIAMSON COUNTY, TEXAS

THAT PART OF THE PRIOR A. HOLDER SURVEY, ABSTRACT NO. 297 IN WILLIAMSON COUNTY, TEXAS, BEING A PART OF THAT 63.958 ACRE TRACT OF LAND CONVEYED TO SAGUARD TEXAS 1, LLC, BY DEED RECORDED IN DOCUMENT No. 2015006160 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGIN AT A 1/2" IRON ROD SET AT THE NORTHWEST CORNER OF LOT 1,
BLOCK G, KENNEY FORT SECTION 1, ACCORDING TO THE PLAT THEREOF
RECORDED IN DOCUMENT NO. _______ OF THE OFFICIAL PUBLIC
RECORDS OF WILLIAMSON COUNTY, TEXAS, IN THE WEST LINE OF SAID 63.958
ACRE TRACT, AND THE EAST LINE OF LOT 1, BLOCK F, SOUTH CREEK SECTION
TWELVE, ACCORDING TO THE PLAT THEREOF RECORDED IN CABINET L, SLIDES
259-262 OF THE PLAT RECORDS OF WILLIAMSON COUNTY, TEXAS;

THENCE N.02'14'34"W. ALONG THE WEST LINE OF SAID 63.958 ACRE TRACT
AND THE EAST LINE OF SAID LOT 1, BLOCK F, (AT 694.58 FEET PASS A
MASONRY NAIL SET IN CONCRETE) IN ALL A DISTANCE OF 893.82 FEET TO THE
CENTER OF BRUSHY CREEK:

THENCE ALONG THE NORTH LINE OF SAID 63.958 ACRE TRACT AND THE CENTER OF BRUSHY CREEK THE FOLLOWING SEVEN COURSES;

1. 5.73'22'05"E. A DISTANCE OF 120.65 FEET;

2.5.86"56"24"E. A DISTANCE OF 201.02 FEET;

J.S.84"34"16"E. A DISTANCE OF 371.80 FEET;

4. N.55°23'08"E. A DISTANCE OF 50.12 FEET;

5.5.71'20'16"E. A DISTANCE OF 314.21 FEET; 6.5.58'30'03"E. A DISTANCE OF 219.87 FEET;

7. S.35'01'58"E. A DISTANCE OF 66.47 FEET TO THE NORTH CORNER OF LOT 51. BLOCK G. KENNEY FORT SECTION 1:

THENCE ALONG THE NORTHWESTERLY LINE OF SAID PLAT OF KENNEY FORT SECTION 1 THE FOLLOWING 27 COURSES;

1. S.29'39'16"W. A DISTANCE OF 272.23 FEET TO A 1/2" IRON ROD SET; 2.N.60°20'44"W. A DISTANCE OF 5.50 FEET TO A 1/2" IRON ROD SET; 3. S.29'39'16"W. A DISTANCE OF 170.00 FEET TO A 1/2" IRON ROD SET; 4. N.60'20'44"W. A DISTANCE OF 92.37 FEET TO A 1/2" IRON ROD SET; 5. S.04'32'20"W. A DISTANCE OF 153.50 FEET TO A 1/2" IRON ROD SET; 6. S.03'00'26"E. A DISTANCE OF 231.63 FEET TO A 1/2" IRON ROD SET; 7. S.68'56'31"E. A DISTANCE OF 54.17 FEET TO A 1/2" IRON ROD SET; 8. S.44'46'45"W. A DISTANCE OF 208.59 FEET TO A 1/2" IRON ROD SET; 9.5.4573'15"E. A DISTANCE OF 32.77 FEET TO A 1/2" IRON ROD SET; 10. S.4476'43"W. A DISTANCE OF 130.88 FEET TO A 1/2" IRON ROD SET; 11. S.50'48'55"W. A DISTANCE OF 120.00 FEET TO A 1/2" IRON ROD SET; 12. S.48'38'18"W. A DISTANCE OF 50.04 FEET TO A 1/2" IRON ROD SET; 13. 5.50'46"11"W. A DISTANCE OF 119.75 FEET TO A 1/2" IRON ROD SET; 14. N.39"39"37"W. A DISTANCE OF 12.78 FEET TO A 1/2" IRON ROD SET: 15. N.38'11'18"W. A DISTANCE OF 64.48 FEET TO A 1/2" IRON ROD SET; 16. N.36"42'59"W. A DISTANCE OF 64.48 FEET TO A 1/2" IRON ROD SET; 17. N.34"55"57"W. A DISTANCE OF 64.48 FEET TO A 1/2" IRON ROD SET; 18. N.31°35'42"W. A DISTANCE OF 62.86 FEET TO A 1/2" IRON ROD SET; 19. N.26 03'11"W. A DISTANCE OF 58.11 FEET TO A 1/2" IRON ROD SET; 20. N.18'49'33"W. A DISTANCE OF 58.09 FEET TO A 1/2" IRON ROD SET; 21. N.13'33'58"W. A DISTANCE OF 58.04 FEET TO A 1/2" IRON ROD SET; 22. N.O8'35'53"W. A DISTANCE OF 58.09 FEET TO A 1/2" IRON ROD SET; 23. N.O3'15'30"W. A DISTANCE OF 69.61 FEET TO A 1/2" IRON ROD SET; 24. N.02'42'27"W. A DISTANCE OF 145.62 FEET TO A 1/2" IRON ROD SET; 25. S.8777'33"W. A DISTANCE OF 170.00 FEET TO A 1/2" IRON ROD SET; 26. 5.02*42'27"E. A DISTANCE OF 19.62 FEET TO A 1/2" IRON ROD SET; 27. S.87"17"33"W. A DISTANCE OF 132.10 FEET TO THE SAID POINT OF BEGINNING.

CONTAINING 26.41 ACRES, MORE OR LESS. BEARINGS ARE IEXAS STATE PLANE CENTRAL ZONE, NAD 83 KNOW ALL MEN BY THESE PRESENTS

COUNTY OF _____

STATE OF _

THAT SAGUARO TEXAS 1, LLC, AN ARIZONA LIMITED LIABILITY COMPANY, AS THE OWNER OF THAT CERTAIN 63.958 ACRE TRACT OF LAND RECORDED IN DOCUMENT NO. 2015006160 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, DO HEREBY CERTIFY THAT THERE ARE NO LIEN HOLDERS AND DEDICATE TO THE PUBLIC FOREVER USE OF THE STREETS, ALLEYS, EASEMENTS AND ALL OTHER LANDS INTENDED FOR PUBLIC DEDICATION AS SHOWN HEREON TO BE KNOWN AS "KENNEY FORT SECTION 2."

SAGUARD TEXAS 1, LLC, AN ARIZONA LIMITED LIABILITY COMPANY

JOEL M. MARSHALL
VICE PRESIDENT
SAGUARO TEXAS 1. LLC

STATE OF _____

COUNTY OF _____

THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE ME ON THE _____ DAY OF ______ AS _____ OF _____ ON BEHALF OF SAID

NOTARY PUBLIC SIGNATURE

NOTARY PUBLIC PRINTED OR TYPED NAME

MY COMMISSION EXPIRES:

STATE OF TEXAS

COUNTY OF WILLIAMSON

THAT I, R. BRENT JONES, DO HEREBY CERTIFY THAT THE INFORMATION CONTAINED ON THIS PLAT COMPLIES WITH CHAPTER 36, SUBDIVISIONS, CODE OF ORDINANCES CITY OF ROUND ROCK 2010 EDITION, AS AMENDED, AND THE THE DESIGN AND CONSTRUCTION STANDARDS ADOPTED BY THE CITY OF ROUND ROCK, TEXAS.

R. BRENT JONES DATE LICENSED PROFESSIONAL ENGINEER NO. 92671



STATE OF TEXAS

COUNTY OF WILLIAMSON

THAT I, J. KENNETH WEIGAND, DO HEREBY CERTIFY THAT I PREPARED THIS PLAT FROM AN ACTUAL AND ACCURATE ON—THE—GROUND SURVEY OF THE LAND AND THAT THE CORNER MONUMENTS SHOWN THEREON WERE PROPERLY PLACED UNDER MY PERSONAL SUPERVISION, IN ACCORDANCE WITH CHAPTER 36, SUBDIVISIONS, CITY OF ROUND ROCK CODE OF ORDINANCES (2010 EDITION), AS AMENDED.

JAN W. Weighol 7 7 7 2015

N. KENNETH WEIGAND

REGISTERED PROFESSIONAL

LAND SURVEYOR NO. 5741



CITY APPROVAL

APPROVED THIS ______ DAY OF ________ 20 _____ BY THE CITY PLANNING AND ZONING COMMISSION OF THE CITY OF ROUND ROCK, TEXAS, AND AUTHORIZED TO BE FILED FOR RECORD BY THE COUNTY CLERK OF WILLIAMSON COUNTY, TEXAS.

DAVID PAVLISKA, CHAIRMAN

STATE OF TEXAS

COUNTY OF WILLIAMSON

COUNTY, IN DOCUMENT No.

I, NANCY RISTER, CLERK OF THE COUNTY COURT OF SAID COUNTY, DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT IN WRITING, WITH 1TS CERTIFICATION OF AUTHENTICATION, WAS FILED FOR RECORD IN MY OFFICE ON

THE ____ DAY OF _______ A.D. _____, AT ____ O'CLOCK ___ M.

AND DULY RECORDED ON THE ___ DAY OF ______, A.D.

_____ AT ____ O'CLOCK ___ M IN THE OFFICIAL PUBLIC RECORDS OF SAID

WITNESS MY HAND AND SEAL OF THE COUNTY COURT OF SAID COUNTY, AT OFFICE IN GEORGETOWN, TEXAS, THE DATE LAST WRITTEN ABOVE.

NANCY RISTER, CLERK, COUNTY COURT WILLIAMSON COUNTY, TEXAS

BY: ______

RANDALL JONES & ASSOCIATES ENGINEERING, INC.

1212 E. BRAKER LANE, AUSTIN, TEXAS 78753
(512) 836-4793 FAX: (512) 836-4817 F-9784

RJ SURVEYING & ASSOCIATES, INC. 1212 E. BRAKER LANE, AUSTIN, TEXAS 78753 (512) 836-4793 FAX: (512) 836-4817 F-10015400

SHEET 3 OF 3 SHEETS