


Boyles Tract



**DEVELOPMENT PLAN
PLANNED UNIT DEVELOPMENT NO. ____**

**I.
GENERAL PROVISIONS**

1.01 CONFORMITY WITH DEVELOPMENT STANDARDS

All uses and development within the Property, as defined herein, shall conform to the Development Standards included herein.

1.02 ZONING VIOLATION

Any person, firm, corporation or other entity violating any conditions or terms of this Plan shall be subject to any and all penalties for the violation of any zoning ordinance provisions as stated in Section 1-9, Code of Ordinances, City of Round Rock, Texas, as amended.

**II.
DEVELOPMENT STANDARDS**

2.01 DEFINITIONS

Except to the extent in conflict with this Plan, words and terms used herein shall have their commonly understood meaning, or as defined in the applicable provisions of the City of Round Rock Code of Ordinances, as amended, hereinafter referred to as "the Code."

2.02 PROPERTY

This Plan covers four tracts of land described as follows:


Tract 1: 117.530 acres known as Tract 1 of the Bison tract, as more fully described in Exhibit "B-1", attached hereto;

Tract 2: 61.496 acres known as the Keller/Johnson tract, as more fully described in Exhibit "B-2", attached hereto;

Tract 3: 156.769 acres known as the Krienke tract, as more fully described in Exhibit "B-3", attached hereto; and

Tract 4: Lot 1 of the Bertil Telander Subdivision, an addition in and to the City of Round Rock, recorded in Cabinet H, Slide 126, Plat Records, Williamson County, Texas, and Correction of Plat Dedication recorded in Volume 1419, Page 416, Official Records of Williamson County, Texas, known as the Boyles tract, as depicted on Exhibit "B-4".

The foregoing four tracts of land are collectively referred to herein as the "Property".



2.03 APPLICABILITY OF CITY ORDINANCES

A. Zoning Ordinances

The Property shall be regulated for purposes of zoning by this Plan. All aspects not specifically covered by this Plan shall be regulated by the **C-1a (General Commercial – Limited)** zoning district and other sections of the Code, as applicable and as amended. In the event of a conflict between this Plan and the Code, the terms of this Plan shall control.

B. Other Ordinances

All other Ordinances within the Code, as amended, shall apply to the Property except as clearly modified by this Plan. In the event of a conflict, the terms of this Plan shall control.

2.04 PERMITTED USES

The uses listed below are permitted by right and are in addition to the uses applicable to the C-1a (General Commercial – Limited) zoning district.

- (1) Resort hotel
- (2) Convention center, which will include related activities by the owner and/or operator of the convention center, convention attendees and others, such as entertainment and retail sales
- (3) Indoor water park
- (4) Outdoor water park
- (5) Indoor family entertainment center
- (6) Outdoor family entertainment center
- (7) Wedding venue
- (8) Spa
- (9) Pet resort/small animal day care and boarding facility, where animals are not left outside overnight
- (10) Restaurants/bars, which will include related activities such as performance spaces and may have drive-through service
- (11) Retail sales and services
- (12) Golf entertainment venue
- (13) Mobile food establishments
- (14) Employee housing
- (15) Hotel/motel
- (16) Fuel sales/convenience store
- (17) Cinema
- (18) Aquarium
- (19) Day care
- (20) Campgrounds

2.05 PERMITTED TEMPORARY USES

Uses that are temporary and directly related to the Resort Hotel and/or Convention Center conventions, meetings, events or activities are permitted. The following are examples of such permitted temporary uses.

- (1) Boat sales
- (2) Camper sales
- (3) Flea markets
- (4) Truck, truck trailer, and semitrailer parking
- (5) Automotive parts
- (6) Automotive sales
- (7) Portable building sales
- (8) Heavy equipment sales, rental, and leasing

2.06 PROHIBITED USES.

Except as set forth in Section 2.05, the uses listed below are prohibited.

- (1) Automotive or machinery services and repair
- (2) Automotive or machinery washes
- (3) Automotive parts as a primary use
- (4) Automotive sales as a primary use
- (5) Boat sales as a primary use
- (6) Bulk distribution centers
- (7) Camper sales as a primary use
- (8) Donation centers
- (9) Flea markets as a primary use
- (10) Heavy equipment sales, rental, and leasing as a primary use
- (11) Industrial building sales
- (12) Manufactured home sales
- (13) Outdoor kennels, defined as kennels where animals are left outside overnight
- (14) Pawn shops
- (15) Portable building sales as a primary use
- (16) Recreational vehicle parks
- (17) Recycling centers
- (18) Sexually oriented businesses
- (19) Shooting ranges
- (20) Tattoo parlors
- (21) Truck, truck trailer, and semitrailer parking as a primary use
- (22) Truck service or repair
- (23) Truck stops
- (24) Trucking terminals
- (25) Wholesale nurseries
- (26) Wrecking yards.

2.07 SPECIAL DEFINITIONS

A. *Resort Hotel* shall include the definition of “overnight accommodations” in Section 46-5 of the Code in addition to the following list of ancillary uses and activities, and including those uses and activities that are similar in nature:

- (1) Herb farm/livestock/Sunday house
- (2) Orchards
- (3) Trams or other devices for moving visitors and/or luggage from one part of the Property to another, whether on rails or not
- (4) Nyumba villas, defined as freestanding guest houses located on the resort grounds outside the primary hotel building, which may have their own separate kitchen facilities
- (5) Recreational lake and/or pond
- (6) Water taxis
- (7) Seasonal entertainment enhancements such as holiday lighting, pyrotechnics, and audio
- (8) On-street entertainment provided by individuals such as jugglers, balloon artists, mimes, magicians, etc.
- (9) Small-scale performance spaces
- (10) Hot air balloon rides
- (11) Parades on land and in water
- (12) Bicycle paths and rentals
- (13) Endurance events such as marathons and fun runs
- (14) Petting zoo
- (15) Horseback riding
- (16) Sky Trackers, which shall be limited to special events
- (17) Media Matrix Audio-Video Control Systems
- (18) Vineyards, related production facilities and ancillary uses
- (19) Event barn, defined as a free-standing rental space
- (20) Use of welders, torches or glass blowing furnaces and other similar equipment, whether indoors or outdoors by artists.

B. *Indoor family entertainment center* shall include all “indoor entertainment activities” listed in Section 46-5 of the Code in addition to the following list of uses and activities, and including those uses and activities that are similar in nature:

- (1) Arcade games
- (2) Rides
- (3) Trampoline park
- (4) Bowling alley
- (5) Laser tag
- (6) Go-cart track
- (7) Rock climbing walls
- (8) Ropes course, which may include a zip line
- (9) Miniature golf.

C. *Outdoor family entertainment center* shall include participatory recreation and entertainment uses such as the following list of uses and activities, and including those uses and activities that are similar in nature:

- (1) Carnival and other rides
- (2) Ropes course, which may include a zip line
- (3) Go-cart track
- (4) Sky tram rides or similar elevated, automated methods of transporting guests
- (5) Miniature golf
- (6) Batting cages
- (7) Rock climbing walls
- (8) Trampoline park.

D. *Employee housing* shall mean dormitory or multifamily style housing buildings primarily for employees of businesses located on the Property. Employee housing may include daycare facilities for employees.

E. *Golf entertainment venue* shall include high-tech golf-related games with on-site food and beverage service.

2.08 BUILDING AND DEVELOPMENT STANDARDS

A. Height and Setback Standards

- (1) All buildings and structures located more than 750 feet from the southern boundary of the Property shall have a maximum height of 180 feet.
- (2) All buildings and structures located 750 feet or less from the southern boundary of the Property shall have a maximum height of 75 feet.
- (3) Zip lines and other rides and attractions within 500 feet of the southern boundary of the Property shall have a maximum height of 150 feet. Zip lines and other rides and attractions located more than 500 feet of the southern boundary of the Property shall not be subject to any height restrictions.
- (4) There shall be no separation requirements between buildings or structures on the Property, except as required by applicable building and fire codes.

B. Building Materials

- (1) Exterior insulating finishing systems("EIFS") is permitted.
- (2) The use of painted, decorative concrete tilt-wall and pre-cast wall panels is permitted.
- (3) Standing seam metal is permitted as a roofing material.

- (4) Finished metal (including painted metal) is permitted for maintenance equipment and similar buildings and for walls designed to be removed in connection with future expansion. Certain walls in the convention center and indoor family entertainment center are currently designed to be removed in connection with future expansion.
- (5) All other materials shall be in compliance with the C-1a zoning district, but with no particular minimum or maximum amount of glass, stone or other masonry.

C. Building Design

- (1) The preliminary building design conceptually depicted on the attached Exhibit "B-5" shall fulfill the architectural requirements for building articulation, elevation variation, orientation, and glazing.

2.09 PARKING, DRIVE AISLES, ACCESS DRIVES AND FIRE LANES

- A. Two thousand, five hundred (2,500) parking spaces are required for the resort hotel, convention center, indoor and outdoor water park, and indoor and outdoor family entertainment center.
- B. No parking is required for employee housing.
- C. For subsequent development or expansions, shared parking for the Property shall be permitted and taken into account when determining how Section 46-196 of the Code applies. More parking spaces than required may be added at the discretion of the developer.
- D. Interior parking lot drive aisles may be a minimum of 24 feet in width if parking stalls taking access from the narrowed aisles are a minimum of 9 feet and 6 inches wide. Where parking stalls are less than 9 feet and 6 inches wide, all drive aisles shall be a minimum of 26 feet wide. No parking stalls shall be narrower than 9 feet wide.

III.
OTHER STANDARDS

3.01 BUFFER WALL AND SCREENING

No buffer wall shall be required on the southerly lot boundary for any development which is located on the western portion of the Property, as depicted on Exhibit "B-6" to this Plan.

A six-foot masonry buffer wall shall be required on the southerly lot boundary for all development which is located within 500 feet of the southern boundary line of the eastern portion of the Property, as depicted on Exhibit "B-6" to this Plan. The buffer wall shall otherwise meet the requirements of Section 46-200 (f) (2) of the Code. The Zoning Administrator shall have the authority to waive

this requirement (including the requirement that the wall be made of masonry) if at least one of the following conditions are met:

- (a) The Zoning Administrator determines that due to the site plan layout, potential adverse impacts will be negligible; or
- (b) The Zoning Administrator determines that existing and/or proposed vegetation will serve as an adequate buffer.

The screening of rooftop mechanical equipment shall not be required on any roof of the resort hotel or convention center. Detention pond screening is not required for ponds located south of the resort and adjacent to the floodplain.

3.02 NOISE

Speakers used for outdoor amplified music or non-emergency public-address systems are prohibited within 500 feet of the southern boundary line of the Property.

3.03 SIGNS

- A. One double sided pylon sign with an electronic messaging center ("EMC") shall be permitted along East Palm Valley Blvd. to serve the entire property. The maximum height shall be 60 feet, with maximum EMC display area of 740 square feet per side and maximum total sign display area of 1,085 square feet per side.
- B. Two double sided EMC signs shall be permitted along Kenney Fort Blvd. to serve the entire Property. The northern sign may be a pylon sign or monument sign with maximum height of 43 feet, EMC display area up to 435 square feet per side, and maximum total sign display area of 780 square feet per side. The southern sign may be a pylon sign or monument sign with maximum height of 20 feet. The maximum EMC display area shall be 140 square feet and the total display area shall not exceed 200 square feet per side.
- C. Animated Signs, as that term is defined in Sec. 30-4 of the Code, as amended, are prohibited.
- D. All public roads within the Property shall be considered Commercial Roadways for the purpose of sign regulation in Chapter 30 of the Code, as amended.
- E. Wayfinding signs for the Property, which do not adversely impact traffic safety as determined in the sole discretion of the Director of Transportation, shall be permitted in the rights-of-ways of public streets within the Property. Permission for these signs will be granted by and through the City's standard license agreement.
- F. In addition to the signs listed above, twelve (12) building and freestanding signs, excluding pylon signs, each with a maximum display area of 1,000 square feet per side shall be permitted on the Property.

G. The Zoning Administrator shall have the authority to grant specific exceptions to the sign regulations in Chapter 30 of the Code if the Zoning Administrator finds that the following conditions exist:

- (1) there are no associated vehicular safety issues that would result from the location or size of the sign;
- (2) the sign is compatible with the surrounding development; and
- (3) the sign does not result in reduced compliance with regulations in other chapters of the Code.

3.04 LIGHTING

- A. LED lighting shall be permitted.
- B. The height of freestanding light fixtures shall not exceed 40 feet in the Resort Hotel and Convention Center parking areas, excluding Nyumba parking.
- C. The height of freestanding light fixtures shall not exceed 25 feet in all other areas.

3.05 ALCOHOL SALES

There shall be no limit on the number of bars. The days or hours of alcoholic beverage service, or the manner of alcoholic beverage service on the Property, whether for bars, restaurants or otherwise, shall be governed by the laws, rules and regulations of the Texas Alcoholic Beverage Commission.

IV.




CHANGES TO DEVELOPMENT PLAN

4.01 MINOR CHANGES

Minor changes to this Plan which do not substantially and adversely change this Plan may be approved administratively if approved in writing by the Director of Planning and Development Services and the City Attorney. If the Code is amended on or after January 1, 2018, changes to this Plan that incorporate prior Code provisions (if approved in writing by the Director of Planning and Development Services and the City Attorney) shall be considered minor changes subject to the prior sentence.

4.02 MAJOR CHANGES

All changes not permitted above shall be resubmitted following the procedure required by the Code, as amended.

[illegible][illegible][illegible]TITLE COMMITMENT SCORE
ONLY THREE CASINOS AND

P. J. HOLLER SURVEY
 ABSTRACT NO. 297

150.760 ACRES
(0.023,041 SQ. FT.)

DOCUMENT/ALLOCATION
DATE AND RECEIPT (MAY)
NOT A PART OF THIS STORY

1. GENERAL INFO

1.1. GENERAL STATEMENT OF INFORMATION AND FINDINGS IS SHOWN HEREIN.

2. A DETAILED REPORT MUST HAVE BEEN PREPARED TO ACCOMPANY THE WATERSHED REPORT, AND BE REVIEWED BY STATE GOVERNMENT AGENCIES, PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

3. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

4. AT THE END OF REPORT, THE NAME OF PERSONNEL IN CHARGE OF REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

5. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

6. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

7. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

8. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

9. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

10. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

11. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

12. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

13. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

14. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

15. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

16. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

17. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

18. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

19. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

20. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

21. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

22. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

23. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

24. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

25. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

26. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

27. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

28. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

29. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

30. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL AGENCY AGENTS.

31. WATERSHED REPORT SHOULD BE REVIEWED BY STATE GOVERNMENT AGENCIES PERMITS OFFICE AND OTHER LOCAL

LATE TABLE	
NO.	ISSUANCE
10	10/10/1974
11	11/11/1974
12	12/12/1974
13	13/13/1974
14	14/14/1974
15	15/15/1974
16	16/16/1974
17	17/17/1974
18	18/18/1974
19	19/19/1974
20	20/20/1974
21	21/21/1974
22	22/22/1974
23	23/23/1974
24	24/24/1974
25	25/25/1974
26	26/26/1974
27	27/27/1974
28	28/28/1974
29	29/29/1974
30	30/30/1974
31	31/31/1974
32	32/32/1974
33	33/33/1974
34	34/34/1974
35	35/35/1974
36	36/36/1974
37	37/37/1974
38	38/38/1974
39	39/39/1974
40	40/40/1974
41	41/41/1974
42	42/42/1974
43	43/43/1974
44	44/44/1974
45	45/45/1974
46	46/46/1974
47	47/47/1974
48	48/48/1974
49	49/49/1974
50	50/50/1974
51	51/51/1974
52	52/52/1974
53	53/53/1974
54	54/54/1974
55	55/55/1974
56	56/56/1974
57	57/57/1974
58	58/58/1974
59	59/59/1974
60	60/60/1974
61	61/61/1974
62	62/62/1974
63	63/63/1974
64	64/64/1974
65	65/65/1974
66	66/66/1974
67	67/67/1974
68	68/68/1974
69	69/69/1974
70	70/70/1974
71	71/71/1974
72	72/72/1974
73	73/73/1974
74	74/74/1974
75	75/75/1974
76	76/76/1974
77	77/77/1974
78	78/78/1974
79	79/79/1974
80	80/80/1974
81	81/81/1974
82	82/82/1974
83	83/83/1974
84	84/84/1974
85	85/85/1974
86	86/86/1974
87	87/87/1974
88	88/88/1974
89	89/89/1974
90	90/90/1974
91	91/91/1974
92	92/92/1974
93	93/93/1974
94	94/94/1974
95	95/95/1974
96	96/96/1974
97	97/97/1974
98	98/98/1974
99	99/99/1974
100	100/100/1974


KRIENKE, MEREDITH
AND CARTER TRACT
PALM VALLEY BOULEVARD E
ROUND ROCK, TEXAS


EXHIBIT

B-3

 **Stantec**
221 West 14th Street, Suite 600
Austin, Texas 78704
Tel (512) 202-0018 Fax (512) 228-0022
TDD (512) 228-0018 TDD (512) 228-0022
Copyright © 2016

Bayles Tract





01 OVERALL ELEVATION - NORTH

02 OVERALL ELEVATION - WEST

03 OVERALL ELEVATION - SOUTH

04 OVERALL ELEVATION - EAST

HAS.020

DATE	DESCRIPTION
01.01.2018	INITIAL DESIGN DEVELOPMENT
01.02.2018	OVERALL SITE ELEVATIONS
01.03.2018	FINAL DESIGN DEVELOPMENT
01.04.2018	OVERALL SITE ELEVATIONS

Kalahari
RESORTS & CONVENTIONS



KALAHARI
ROUND ROCK

HKS

ARCHITECT

10000 WEST 84TH AVENUE, SUITE 100
DENVER, CO 80231
TEL: 303.751.4000
WWW.HKS.COM

ARCHITECT OF RECORD

10000 WEST 84TH AVENUE, SUITE 100
DENVER, CO 80231
TEL: 303.751.4000
WWW.HKS.COM


ARCHITECT OF RECORD

10000 WEST 84TH AVENUE, SUITE 100
DENVER, CO 80231
TEL: 303.751.4000
WWW.HKS.COM


HOTEL EXTERIOR MATERIAL DIAGRAMS SK-20180103-HKS-02.01

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

H/TOTALS EXTERIOR INSULATION FINISH SYSTEM (EIFS)			
GLASS FIBER REINFORCED CONCRETE PANELS (GFRG/WOOD GRAIN)	170501	31.3%	
STONE	120138	22.1%	
GLASS	36321	6.7%	
STEEL/METAL	122626	22.5%	
WOOD	94507	17.4%	
TOTAL	544507	0.1%	



02 HOTEL TOWER - EAST ELEVATION



01 HOTEL TOWER NORTH ENTRY ELEVATION

HKS

ARCHITECT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

DESIGNER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

GENERAL CONTRACTOR
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

INTERIOR DESIGNER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

MECHANICAL ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

ELECTRICAL ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

PLUMBING ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

STRUCTURAL ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

FOUNDATION ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

ENVIRONMENTAL ENGINEER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

LANDSCAPE ARCHITECT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

SCULPTOR
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

PAINTER
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

WATER PUMP & TOWER PUMP
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

MECHANICAL EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

ELECTRICAL EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

PLUMBING EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

STRUCTURAL EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

FOUNDATION EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

ENVIRONMENTAL EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

LANDSCAPE EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

SCULPTURE EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

PAINTING EQUIPMENT
HKS
1000 RIVER STREET
SUITE 1000
HOUSTON, TEXAS 77002
TEL: 713.867.1000
WWW.HKS.COM

KALAHARI
ROUND ROCK

Kalahari
RESORTS &
CONVENTIONS


EXTERIOR ELEVATION ONLY
NOT TO SCALE
DATE: 01/03/2018
BY: HKS

DATE: 01/03/2018
BY: HKS
PROJECT: KALAHARI
ROUND ROCK
DEVELOPMENT
HOTEL
ELEVATIONS
TOWER 02
HKS.211


HOTEL EXTERIOR MATERIAL DIAGRAMS SK-20180103-HKS-02.02

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

H/TOTALS EXTERIOR INSULATION FINISH SYSTEM (EIFS)			
GLASS FIBER REINFORCED CONCRETE PANELS (GFRC/WOOD GRAIN)	170501	31.3%	
STONE	120138	22.1%	
GLASS	36321	6.7%	
STEEL/METAL	122626	22.5%	
WOOD	94507	17.4%	
TOTAL	544507	0.1%	



02 HOTEL TOWER - WEST ELEVATION
1/3/2018



01 HOTEL TOWER SOUTH (LOBBY) ELEVATION
1/3/2018

HKS


KALAHARI ROUND ROCK

Kalahari
RESORTS &
CONVENTIONS


EXTERIOR ELEVATION ONLY
1/3/2018

2018.1.03
10.27.2017
SKY DESIGN
DEVELOPMENT
HOTEL
ELEVATIONS
TOWER JAC
HKS 20673
HKS 2012


KALAHARI ROUND ROCK 1/3/2018
HKS 20673

544507

02 TOWER 'C' - WEST ELEVATION
WVF-142



03 TOWER 'G' - SOUTH ELEVATION
ST-14



01 TOWER 'C' - EAST ELEVATION
THIS ELEVATION IS THE PROPERTY OF THE ARCHITECT
 INC - PC

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

544501

REPORTS & CONVENTIONS

4


HA5.231

HOTEL EXTERIOR MATERIAL DIAGRAMS


SK-20180103-HKS-02.05

KALAHARI ROUND ROCK
HKS 20673
1/3/2018


H/TOTALS			
EFIS	170504	31.3%	
CFPC	120138	22.1%	
STONE	36321	6.7%	
GLASS	122626	22.5%	
STEEL/METAL	94507	17.4%	
WOOD	414	0.1%	
TOTAL	544507		



02 TOWER L - SOUTH ELEVATION



03 TOWER L - END ELEVATION



01 TOWER L - NORTH ELEVATION

HKS

KALAHARI
RESORT & CONVENTIONS

OFFICE REVIEW ONLY
This document is for review only and is not to be used for construction. It is the property of HKS and is to be returned to HKS upon completion of the review. No part of this document may be reproduced without written permission from HKS.

REVISIONS
2017.03.01
16.77.2017
DESIGN DEVELOPMENT
NOTES
ELEVATIONS
TOWER L
HKS 241

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

This architectural drawing shows a detailed elevation of a building facade. The facade is composed of a grid of windows and panels. A large section of the facade is highlighted in yellow, indicating a specific area of interest or a different material. The drawing includes various annotations and labels, such as 'FACADE' and 'FACADE', which are likely part of the project's documentation. The drawing is oriented horizontally, with the building's facade facing right.



01 TOWER "A" - WEST ELEVATION
1/1/14

INDOOR WATER PARK EXTERIOR MATERIAL DIAGRAMS

SK-20180103-HKS-03.01

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

W/P TOTALS	EXTERIOR INSULATION FINISH SYSTEM (EIFS)		
	PAINTED TILT WALL CONCRETE	8807	4.6%
	ARCHITECTURAL PRECAST CONCRETE (APC)	22426	11.6%
	GLASS FIBER REINFORCED CONCRETE PANELS (GFRP/WOOD GRAIN)	129366	66.9%
	STEEL/METAL	1788	0.9%
	GLASS	4128	2.1%
	TOTAL	26781	13.9%
		193298	



HKS

KALAHARI
ROUND ROCK

Kalahari
RESORTS &
CONVENTIONS

DESIGNED BY
HKS

PA5-310


INDOOR WATER PARK EXTERIOR MATERIAL DIAGRAMS

SK-20180103-HKS-03.02


KALAHARI ROUND ROCK 1/3/2018

HKS 20073

IMP/TOTALS	EXTERIOR INSULATION FINISH SYSTEM (EIFS)	PAINTED TILT WALL CONCRETE	ARCHITECTURAL PRECAST CONCRETE (APC)	GLASS FIBER REINFORCED CONCRETE PANELS (GFRP/WOOD GRAIN)	STEEL/METAL	GLASS	TOTAL
	8807	22426	129366	1788	4128	26781	193298
	4.6%	11.6%	66.5%	0.9%	2.1%	13.9%	



02 IMP - SOUTHEAST ELEVATION



01 IMP - NORTHEAST ELEVATION

HKS

KALAHARI
ROUND ROCK

Kalahari
RESORTS &
CONVENTIONS

DESIGNER: HKS
ARCHITECT: HKS
ENGINEER: HKS
CONTRACTOR: HKS


PA5.311

INDOOR WATER PARK EXTERIOR MATERIAL DIAGRAMS


SK-20180103-HKS-03.03

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

IMP/TOTALS	EXTERIOR INSULATION FINISH SYSTEM (EFIS)	8807	4.6%
	PAINTED TILT WALL CONCRETE	22426	11.6%
	ARCHITECTURAL PRECAST CONCRETE (APC)	129368	66.9%
	GLASS FIBER REINFORCED CONCRETE PANELS (GFRP/WOOD GRAIN)	1788	0.9%
	STEEL/METAL	4128	2.1%
	GLASS	26781	13.9%
	TOTAL	193298	



02 REC-SOUTHWEST ELEVATION



01 REC-SOUTHWEST ELEVATION

HKS

KALAHARI
ROUND ROCK

Kalahari
RESORTS & CONVENTIONS


PA5.312

CONVENTION CENTER EXTERIOR MATERIAL DIAGRAMS


SK-20180103-HKS-01.01

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

CC/TOTALS	EXTERIOR INSULATION FINISH SYSTEM (EIFS)	STONE	GLASS FIBER REINFORCED CONCRETE PANELS (GFRP/ WOOD GRAIN)	STEEL/METAL	GLASS	TOTAL
	58657	6912	4262	2472	12788	85091
	68.9%	8.1%	5.0%	2.9%	15.0%	



02 NORTHEAST ELEVATION



01 NORTHWEST ELEVATION

HKS

KALAHARI ROUND ROCK

Kalahari RESORTS & CONVENTIONS



CA5.101

CONVENTION CENTER EXTERIOR MATERIAL DIAGRAMS

SK-20180103-HKS-01.02

KALAHARI ROUND ROCK 1/3/2018
HKS 20673

CC/TOTALS	EXTERIOR INSULATION FINISH SYSTEM (EIFS)	58857	68.9%
STONE		6912	8.1%
GLASS FIBER REINFORCED CONCRETE PANELS (GFRG/WOOD GRAIN)		4262	5.0%
STEEL/METAL		2472	2.9%
GLASS		12788	15.0%
TOTAL		85091	




HKS

**KALAHARI
ROUND ROCK**

**Kalahari
RESORTS &
CONVENTIONS**

EXTERIOR ELEVATION ONLY

CAS-102



PACIFIC LURE DATA SHEET		
LURE #	REMARKS	DATE/STATION
L1	02/13/09	0200
L2	04/27/09	0145
L3	07/17/09	0015
L4	08/07/09	0000
L5	08/27/09	0000
L6	09/07/09	0200
L7	09/27/09	0130
L8	10/27/09	0100
L9	01/17/10	0115
L10	04/27/10	0130
L11	05/27/10	0045
L12	07/27/10	0200
L13	08/27/10	0045
L14	09/27/10	0045
L15	10/27/10	0100