
## Hairy Man Subdivision Phase 2 FINAL PLAT FP1903-003



### CASE PLANNER: Clyde von Rosenberg

**REQUEST:** Approval of the final plat

ZONING AT TIME OF APPLICATION: SF-3 (Single Family - Mixed Lot)

DESCRIPTION: 11.39 acres out of the E. McDaniel Survey, Abstract No. 441

CURRENT USE OF PROPERTY:undeveloped

GENERAL PLAN LAND USE DESIGNATION: residential

#### ADJACENT LAND USE:

North: Hairy Man Road and SF-2 (Single Family - standard lot) - Creekbend Subdivison South: Creekbend Blvd. and ETJ (extraterritorial jurisdiction) East: Creekbend Blvd. and ETJ (extraterritorial jurisdiction) West: ETJ and Fern Bluff MUD (Municipal Utility District)

#### PROPOSED LAND USE: single family residential

TOTALS:	26	11.39
Other:	0	0
Parkland:	0	0
ROW:	1	1.13
Open/Common Space:	2	5.82
Industrial:	0	0
Commercial:	0	0
Office:	0	0
Residential - Multi Unit:	0	0
Residential - Single Unit:	23	4.44
PROPOSED LOTS BY TYPE:	NUMBER OF LOTS	<u>ACREAGE</u>

Owner: HMNBC Development, LLC 9111 Jollyville Road, Suite 111 Austin, TX 78759 Agent: BGE, Inc. RJ Rychlik 7000 North Mopac, Ste. 330 Austin, TX 78731

# Hairy Man Subdivision Phase 2 FINAL PLAT FP1903-003

**HISTORY:** The Planning and Zoning Commission approved a preliminary plat and final plat for the Hairy Man subdivision on November 7, 2018. A revised preliminary plat, with an additional number of lots, was approved by the Commission on February 6, 2019. A final plat for Phase 1 was approved on March 6, 2019.

## DATE OF REVIEW: April 3, 2019

LOCATION: Northwest of Creek Bend Blvd. and south of Hairy Man Rd

### STAFF REVIEW AND ANALYSIS:

<u>Phase 2:</u> This final plat is the second and final phase of the revised preliminary plat. It contains 11.39 acres of land of the 40.02-acre preliminary plat area. This final plat contains 23 development lots, of which 8 are estate lots, 13 are standard lots and 2 are small lots. With the remaining 79 lots, which are contained in the Phase 1 final plat, there will be a total of 14 estate lots, 45 standard lots and 43 small lots, which represent 14%, 44% and 42% of the total number of lots, respectively.

<u>General Plan and Zoning:</u> The General Plan designates the property as residential. It is zoned as SF-3 (Single Family – Mixed Lot), a district which provides for three sizes of single family lots: estate lots of at least 10,000 square feet, standard lots of at least 6,500 square feet and small lots of at least 5,000 square feet. The exterior finish of all houses must be at least 75% masonry and must include upgraded garage doors. The district is designed to provide a mixture of the three lot sizes: (1) estate lots, which are to be at least 40% of the total number of lots; (2) standard lots, which are to be at least 30% of the total number of lots; and (3) small lots, which are not to exceed 20% of the total number of lots. A subdivision may contain fewer estate lots or more small lots than allowed if it provides a higher connectivity index and several specified design features.

Due to karst features and creeks which constrain the use of the site, this subdivision does not provide the mixture of the three lot sizes prescribed by the SF-3 district. Instead, it contains less than 40% estate lots and more than 20% small lots. The subdivision must therefore meet the alternative standard in the SF-3 district, providing a connectivity index of 1.4 or greater and including the following design features:

- 1. A segment of the Brushy Creek Regional Trail;
- 2. A brick or natural stone subdivision wall, where required by the subdivision code;
- 3. Landscaping along arterial and collector roads;
- 4. Enhanced detention facilities and bridges/culverts.

With the inclusion of the Brushy Creek Regional Trails segment, the connectivity index reaches 1.4. The trail will be designed and constructed in accordance with an agreement between Milestone, the developer, and Williamson County.

<u>Traffic, Access and Roads:</u> The property has access from Creek Bend Blvd. and from Hairy Man Road. The plat dedicates additional right-of-way for Wyoming Springs Drive, a planned roadway that is on the City's Transportation Master Plan. No TIA (Traffic Impact Assessment) was required.

<u>Water and Wastewater Service:</u> The subdivision will receive water service from an existing 30" waterline that runs along the Wyoming Springs Drive right-of-way and from an existing 12" waterline that runs along Creek Bend Blvd. There are two existing manholes on Hairy Man Road which will provide access to the wastewater system.


Drainage: A flood study was prepared for the site and it was reviewed and approved by the City.


# Hairy Man Subdivision Phase 2 FINAL PLAT FP1903-003


## **RECOMMENDED MOTION:**

Staff recommends approval with the following conditions:

- 1. Provide detail at enlarged scale for Boundary Segment C2 at the intersection of Overture Place and Soprano Way and for Boundary Segment C11 along Reprise Bend.
- 2. Revise Plat Note #8 to include: "A portion of this tract is encroached by the ultimate 1% annual chance floodplain."







CURVE TABLE					
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANC
C1	39.19'	25.00'	89*49'34"	N 8914'10" W	35.30'
C2	23.61'	15.00'	90"11'10"	N 00'46'12" E	21.25'
С3	18.46'	15.00'	70 <b>°</b> 31'44"	S 09°03'31" E	17.32'
C4	5.15'	15.00'	19*39'26"	S 36°02'04" W	5.12'
C5	74.02'	275.00'	15 <b>*</b> 25'15"	N 04*31'39" W	73.79'
C6	136.36'	325.00'	24'02'24"	N 08'50'14" W	135.36'
C7	40.11'	325.00'	7 <b>°</b> 04'14"	S 00°21'09" E	40.08'
C8	49.93'	325.00'	8*48'07 <b>"</b>	S 0817'19" E	49.88'
C9	46.33'	325.00'	810'03"	S 16*46'24" E	46.29'
C10	22.45'	15.00'	85*45'40"	N 22°01'24" E	20.41'
C11	37.67'	200.00'	10 <b>*</b> 47'26"	N 59'30'32" E	37.61'
C12	25.51'	200.00'	718'34"	S 61"14'58" W	25.50'
C13	12.15'	200.00'	3 <b>°</b> 28'52"	S 55*51'15" W	12.15'
C14	93.53'	327.25'	16 <b>°</b> 22'31"	N 45*55'33" E	93.21'
C15	33.13'	25.00'	75 <b>*</b> 55'31"	N 75°42'03" E	30.76'
C16	52.90'	1,200.00'	2*31'32"	S 67*51'33" E	52.89'
C17	34.58'	25.00'	79 <b>°</b> 14'30"	S 29*30'04" E	31.89'
C18	47.36'	50.00'	5416'08"	S 17'00'53" E	45.61'
C19	39.26'	25.00'	89*59'16"	N 00*51'25" E	35.35'
C20	39.26'	25.00'	89*59'16"	N 00*51'25" E	35.35'
C21	39.26'	25.00'	89*59'16"	N 00*51'25" E	35.35'
C22	23.56'	15.00'	90*00'00"	N 89'08'13" W	21.21'
C23	15.68'	10.00'	89*49'34"	S 8914'10" E	14.12'
C24	22.56'	15.00'	86*10'34"	N 02*46'25" E	20.49'
C25	278.74'	60.00'	26610'39"	S 87"13'32" E	87.64'
C26	48.67'	60.00'	46*28'26"	N 17'04'39" W	47.34'
C27	184.19'	60.00'	175 <b>°</b> 53'06"	S 85*53'53" E	119.92'
C28	45.89'	60.00'	43 <b>°</b> 49'07"	S 23*57'14" W	44.78'
C29	23.56'	15.00'	90'00'00"	S 00*51'47" W	21.21'
C30	39.28'	25.00'	90 <b>°</b> 00'44"	S 89*08'35" E	35.36'
C31	39.28'	25.00'	90'00'44"	S 89*08'35" E	35.36'
C32	39.28'	25.00'	90'00'44"	S 89*08'35" E	35.36'
C33	26.40'	327.25'	4*37'21"	N 51*48'08" E	26.39'
C34	16.47'	327.25'	2*52'59"	N 48'02'58" E	16.47'
C35	15.01'	2,022.79'	0*25'31"	S 68*27'05" E	15.01'
C36	141.21'	2,023.00'	3*59'58"	N 68°20'11" W	141.18'
C37	3.94'	327.25'	0*41'22"	N 38'04'59" E	3.94'
C38	21.69'	25.00'	49*42'52"	N 62°35'41" E	21.02'
C39	8.42'	321.61'	1*30'03"	S 69*00'22" E	8.42'
C40	68.80'	615.59'	6 <b>°</b> 24'12"	S 6517'13" E	68.76'
C41	67.11'	299.96'	12*49'04"	S 68*29'39" E	66.97'
C42	165.55'	1,124.87'	8 <b>•</b> 25'57"	S 70*41'12" E	165.40'
C43	20.87'	1,427.33'	0*50'16"	S 66°03'06" E	20.87'

	CURVE TABLE				
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C44	65.34'	1,274.85'	2*56'12"	S 67'06'04" E	65.34'
C45	55.15'	40.00'	79 <b>°</b> 00'05"	S 29'04'08" E	50.88'
C46	18.69'	30.00'	35*41'39"	S 07*24'55" E	18.39'
C47	53.25'	50.00'	61*01'36"	N 20°04'54" W	50.77'
C48	27.57'	20.00'	79 <b>°</b> 00'05"	N 29°04'08" W	25.44'
C49	66.37'	1,294.85'	2*56'12"	N 67°06'04" W	66.36'
C50	20.58'	1,407.33'	0*50'16"	N 66°03'06" W	20.58'
C51	162.61'	1,104.87'	8*25'57"	N 70*41'12" W	162.46'
C52	71.58'	319.96'	12*49'04"	N 68*29'39" W	71.43'
C53	66.35'	595.59'	6*22'58"	N 6516'36" W	66.31'
C54	23.58'	341.61'	3 <b>°</b> 57'19"	N 67*44'28" W	23.58'
C55	108.54'	1,200.00'	5"10'56"	S 64'00'19" E	108.50'


	LINE TABLE			
NUMBER	BEARING	DISTANCE		
L1	N 45'51'47" E	6.12'		
L2	N 44'08'13" W	50.00'		
L3	N 45'51'47" E	106.93'		
L4	N 44'08'13" W	21.07'		
L5	N 04°06'32" W	24.81'		
L6	S 77 <b>'</b> 45'43" W	120.79'		
L7	S 05'07'10" W	66.04'		
L8	S 08 <b>'</b> 41'57" W	32.46'		
L9	S 5019'17" W	31.45'		
L10	N 23°24'13" E	4.11'		
L11	S 10°07'11" W	76.00'		
L12	S 44'08'57" E	49.74'		
L13	N 44'08'13" W	99.86'		
L14	S 44'08'13" E	48.45'		
L15	S 83*50'26" E	20.00'		
L16	S 87 <b>*</b> 57'20" E	42.81'		
L17	S 44'08'13" E	99.83'		
L18	N 23'41'48" E	68.09'		
L19	S 23°41'48" W	83.65'		
L20	S 19 <b>°</b> 39'51" W	2.72'		
L21	N 70°20'09" W	101.63'		
L22	S 10°07'11" W	26.24'		

	LOT AREA TABLE				
LOT	BLOCK	SQUARE FEET			
1	A	7,809			
2	А	6,616			
3	А	6,615			
4	А	10,238			
5	A	246,161			
6	A	6,218			
7	А	6,360			
9	А	8,057			
10	A	8,035			
11	A	7,907			
12	А	7,976			
13	A	8,057			
14	A	7,168			
15	A	7,730			
16	A	8,512			
17	A	6,678			
18	A	10,017			
19	A	10,017			
20	A	7,524			

RIGHT-OF-WAY DEDICATION - HAIRY MAN				
PART	BLOCK	SQUARE FEET		
1	ROW DEDICATION	1,073		

LINEAR FEET OF NEW STREETS				
STREET	R.O.W. WIDTH	CENTERLINE LENGTH		
OVERTURE PLACE	50 FT.	667 FT.		
VOLANTE LANE	50 FT.	165 FT.		
TOTAL LINEAR FEET		832 FT.		

LOT AREA TABLE			
LOT	BLOCK	SQUARE FEET	
1	E	10,323	
2	E	10,118	
3	E	10,117	
4	E	10,238	
5	E	10,970	
6	E	7,336	



SCALE: 1"=50'

NECESSARY ACCESSORIES THERETO (COLLECTIVELY THE "FACILITIES").

EASEMENT NOTE:

THIS CONVEYANCE IS MADE AND ACCEPTED SUBJECT TO ANY AND ALL CONDITIONS AND RESTRICTIONS, IF ANY, RELATING TO THE HEREINABOVE DESCRIBED PROPERTY TO THE EXTENT, AND ONLY TO THE EXTENT, THAT THE SAME MAY STILL BE IN FORCE AND EFFECT AND SHOWN OF RECORD IN THE OFFICE OF THE COUNTY CLERK OF WILLIAMSON COUNTY, TEXAS OR TRAVIS COUNTY,

EXCEPT AS OTHERWISE NOTED, THE EASEMENT, RIGHTS, AND PRIVILEGES HEREIN GRANTED SHALL BE PERPETUAL, PROVIDED HOWEVER THAT SAID EASEMENT, RIGHTS, AND PRIVILEGES SHALL CEASE AND REVERT TO GRANTORS IN THE EVENT THE UTILITIES ARE ABANDONED OR SHALL CEASE TO BE IN OPERATION, FOR A PERIOD OF FIVE (5) CONSECUTIVE YEARS.

THE PERPETUAL EASEMENT, RIGHT-OF-WAY, RIGHTS, AND PRIVILEGES GRANTED HEREIN ARE EXCLUSIVE, AND GRANTOR COVENANTS NOT TO CONVEY ANY OTHER EASEMENT OR CONFLICTING RIGHTS WITHIN THE PREMISES COVERED BY THIS GRANT, WITHOUT THE EXPRESS WRITTEN CONSENT AND THE FACILITES CONTENT AND THE REASONABLE SAFEGUARDS TO PROTECT THE INTEGRATION OF THE AND THE SHALL HAVE THE RIGHT TO REVIEW ANY PROPOSED EASEMENT OR CONFLICTING USE TO DETERMINE THE EFFECT, IF ANY, ON THE FACILITES CONTENTLATED HEREIN. PRIOR TO GRANTING ITS CONSENT FOR OTHER EASEMENTS, GRANTEE MAY REQUIRE REASONABLE SAFEGUARDS TO PROTECT THE INTEGRITY OF THE FACILITIES THEREON.

GRANTOR FURTHER GRANTS TO GRANTEE: (g) THE RIGHT TO INSTALL ADDITIONAL FACILITIES ON THE EASEMENT TRACT;

- (b)
- TO SUCH EXTENT AS GRANITEE MAY FIND REASONABLY NECESSARY: THE RICHT OF INGRESS TO AND EGRESS FROM THE EASEMENT OVER AND ACROSS GRANTOR'S PROPERTY BY MEANS OF ROADS AND LANES THEREON, IF SUCH EXIST, OTHERWISE BY SUCH ROUTE OR ROUTES AS SHALL OCCASION THE LEAST PRACTICABLE DAMAGE AND INCONVENIENCE TO GRANTOR; PROVIDED THAT SUCH RICHT OF INGRESS AND EGRESS SHALL NOT EXTEND TO ANY PORTION OF GRANTOR'S PROPERTY WHICH IS ISOLATED FROM THE EASEMENT BY ANY PUBLIC HIGHWAY OR ROAD NOW CROSSING OR HEREAFTER CROSSING THE PROPERTY; THE FOREGOING RIGHT OF INGRESS AND LANES THE RICHT OF THE GRANTEE AND ASSIGNED EMPLOYEES OF GRANTEE TO DISASSEMBLE, REMOVE, TAKE DOWN, AND CLEAR AWAY ANY FENCE, BARRICADE, OR OTHER STRUCTURE WHICH OBSTRUCTS, PREVENTS, OR HINDERS GRANTEE'S INGRESS TO AND EGRESS FROM THE GRANTOR'S PROPERTY, AND CLEAR AWAY ANY EENCE, BARRICADE, OR OTHER STRUCTURE, GRANTEE SHALL, AS SOON AS IS REASONABLY FENCE, BARRICADE, OR OTHER STRUCTURE, GRANTEE SHALL, AS SOON AS IS REASONABLY FEASIBLE, REPLACE OR RESTORE GRANTOR'S PROPERTY ON AS ISMILAR A CONDITION AS REASONABLY PRACTICABLE AS EXISTED IMMEDIATELY PRIOR TO GRANTARE'S ACTIONS PURSUANT (c)
- (d)
- PENCL, BARKICAJE, OK OTHER SINGUIDRE, GRANTGE SHALL SHALL AS SUON AS IS REASONABLY FEASIBLE, REPLACE OR RESTORE GRANTOR'S PROPERTY TO AS SIMULA A CONDITION AS REASONABLY PRACTICABLE AS EXISTED IMMEDIATELY PRIOR TO GRANTEE'S ACTIONS PURSUANT TO THIS PROVISION, UNLESS SAID FENCE, BARRICADE, OR OTHER STRUCTURE IS INCONSISTENT WITH THE RIGHTS CONVEYED TO GRANTEE HEREIN; ITHE RIGHT OF GRANTOR FOR, CONSTRUCTION, MAINTAINING AND USING SUCH ROADS ON AND ACROSS THE PROPERTY AS GRANTEE MAY DEEM NECESSARY IN THE EXERCISE OF THE RIGHT OF INGRESS AND EGRESS OR TO PROVIDE ACCESS TO PROPERTY ADJACENT TO THE EASEMENT; ITHE RIGHT FROM TIME TO TIME TO TIME AND TO CUT DOWN AND CLEAR AWAY ANY AND ALL TREES AND BRUSH NOW OR HEREAFTER ON THE EASEMENT AND TO TIME AND TO CUT DOWN AND CLEAR AWAY ANY TREES ON BITHER SIDE OF THE EASEMENT WHICH NOW OR HEREAFTER IN THE OPINION OF GRANTEE MAY BE A HAZARD TO ANY PIPELINE; VALVES, APPLIANCES, FITTINGS, OR OTHER IMPROVEMENTS BY REASON OF THE DANGER OF FALLING THEREAN OR ROOT INFILTRATION THEREIN, OR WHICH MAY OTHERWISE INTERFERE WITH THE EXERCISE OF GRANTEE'S RIGHTS HEREUNDER; PROVIDED HOWEVER, THAT ALL TREES WHICH GRANTEE IS HEREBY AUTHORIZED TO CUT AND REMOVE, IF VALUABLE FOR TIMBER OR FIREWOOD, SHALL CONTINUE TO BE THE PROPERTY OF GRANTOR, BUT ALL TOPS, LOPS, BRUSH AND REFUSE WOOD SHALL BE BURNED OR REMOVED BY GRANTEE; THE RIGHT TO MARK THE LOCATION OF THE EASEMENT BY SUITABLE MARKERS SET IN THE GROUND; PROVIDED THAT SUCH MARKERS SHALL BE PLACED IN FENCES OR OTHER LOCATIONS WHICH WILL NOT INTERFERE WITH ANY REASONABLE USE GRANTOR SHALL MAKE OF THE EASEMENT;
- (f) FASEMENT.

GRANTEE HEREBY COVENANTS AND AGREES:

- (a) GRANTEE SHALL NOT FENCE THE EASEMENT;
- (b) GRANTEE SHALL PROMPTLY BACKFILL ANY TRENCH MADE BY IT ON THE EASEMENT AND REPAIR ANY DAMAGE IT SHALL DO TO GRANTORS PRIVATE ROADS OR LANES ON THE LANDS; (c)
- TO THE EXTENT ALLOWED BY LAW, GRANTEE SHALL INDEMNIFY GRANTOR AGAINST ANY LOSS AND DAMAGE WHICH SHALL BE CAUSED BY THE EXERCISE OF THE RIGHTS OF INGRESS AND EGRESS OR BY ANY WRONGFUL OR NEGLIGENT ACT OR OMISSION OF GRANTEE'S AGENTS OR EMPLOYEES IN THE COURSE OF THEIR EMPLOYMENT.


IT IS UNDERSTOOD AND AGREED THAT ANY AND ALL EQUIPMENT PLACED UPON SAID PROPERTY SHALL REMAIN THE PROPERTY OF GRANTEE.

GRANTOR HEREBY DEDICATES THE EASEMENT FOR THE PURPOSES STATED HEREIN.

TO HAVE AND TO HOLD THE RIGHTS AND INTERESTS DESCRIBED UNTO GRANTEE AND ITS SUCCESSORS AND ASSIGNS, FOREVER, TOGETHER WITH ALL AND SINGULAR ALL USUAL AND CUSTOMARY RIGHTS THERETO IN ANYWISE BELONGING, AND TOGETHER WITH THE RIGHT AND PRIVILEGE AT ANY AND ALL TIMES TO ENTER SAID PREMISES, OR ANY PART THEREOF, FOR THE PURPOSE OF CONSTRUCTING OR MAINTAINING SAID UTILITIES AND FOR MAKING CONNECTIONS THEREWITH, AND GRANTOR DOES HEREBY BIND ITSELF, IT'S SUCCESSORS AND ASSIGNS AND LEGAL REPRESENTATIVES, TO WARRANT AND FOREVER DEFEND, ALL AND SINGULAR, THE SAID EASEMENT AND RIGHTS AND PITTERESTS UNTO THE CITY OF ROUND ROCK, TEXAS, ITS SUCCESSORS AND ASSIGNS, ACAINST EVERY PERSON WHOMSDEVER LAWFULLY CLAIMING OR TO CLAIM THE SAME OR ANY PART THEREOF.

FINAL PLAT					
HAIRY	MAN	SU	BDIV	<b>ISION</b>	
	PHA	SE	2		

A SUBDIVISION OF 11.386 ACRES OF LAND LOCATED IN THE E. McDANIEL SURVEY, A-441 WILLIAMSON COUNTY, TEXAS




THE PERPETUAL EASEMENT, RIGHT-OF-WAY, RIGHTS, AND PRIVILEGES HEREIN GRANTED SHALL BE USED FOR THE PURPOSES OF LOCATION, PLACEMENT, RELOCATION, CONSTRUCTION, OPERATION, ENLARCEMENT, MAINTENANCE, ALTERATION, REPAIR, REBUILDING, REMOVAL, AND PATROL OF UTILITES AND ASSOCIATED FACILITIES INCLUDING BUT NOT LIMITED TO: PIPES, VALVES, VALUES, MANHOLES, CHANNELS, INLETS, STRUCTURES, ACCESS FACILITIES, CONDUITS, APPURTENANCES, AND ANY

THE RIGHT TO GRADE THE EASEMENT FOR THE FULL WIDTH THEREOF AND TO EXTEND THE CUTS AND FILLS FOR SUCH GRADING INTO AND ONTO THE LAND ALONG AND OUTSIDE THE EASEMENT TO SUCH EXTENT AS GRANTEE MAY FIND REASONABLY NECESSARY.



BGE, Inc. 7000 North Mopac, Suite 330 Austin, TX 78731 Tel: 512-879-0400 • www.baeinc.com TBPE Registration No. E-1046 TBPLS Licensed Surveying Firm No. 10106502

FP\_\_\_\_ **Sheet** 2 of 3





BGE. Inc. 7000 North Mopac, Suite 330 Austin, TX 78731 Tel: 512-879-0400 • www.bgeinc.com TBPE Registration No. F-1046 TBPLS Licensed Surveying Firm No. 10106502

FP\_\_\_\_ SHEET 3 OF 3