1 2	ORDINANCE NO. O-2019-0207
3 4 5 6 7 8 9	AN ORDINANCE AMENDING ZONING AND DEVELOPMENT CODE, CHAPTER 2, ARTICLE III, SECTIONS 2-32 (e)(1) AND 2-33 (e)(1) AND ARTICLE V, SECTION 2-58 (e)(1), CODE OF ORDINANCES (2018 EDITION), CITY OF ROUND ROCK, TEXAS, REGARDING THE USE OF STUCCO MIX FOR EXTERIOR WALL FINISH; AND PROVIDING FOR A SAVINGS CLAUSE AND REPEALING CONFLICTING ORDINANCES AND RESOLUTIONS.
11 12	WHEREAS, the City of Round Rock, Texas desires to amend the text of the
13	Zoning and Development Code, and
14	WHEREAS, the Planning and Zoning Commission held a public hearing
15	concerning the proposed amendment on the 3rd day of April, 2019, following lawful
16	publication of the notice of said public hearing, and
17	WHEREAS, after considering public testimony received at such hearing, the
18	Planning and Zoning Commission has recommended the Zoning and Development
19	Code be amended as set forth herein, and
20	WHEREAS, on the 9th day of May, 2019, after proper notification, the City held a
21	public hearing on the proposed amendment, and
22	WHEREAS, the City Council determines that the amendment provided for herein
23	promotes the health, safety, morals and protects and preserves the general welfare of
24	the community, and
25	BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF ROUND ROCK,
26	TEXAS

I.

That Zoning and Development Code, Chapter 2, Article III, Section 2-32 (e)(1),

Code of Ordinances (2018 Edition), City of Round Rock, Texas, is hereby amended as

4 follows:

CHAPTER 2. ZONING AND DEVELOPMENTSTANDARDS

Sec. 2-32. – C-1 (General Commercial) district.

- (e) General commercial design standards. The following design standards apply to all buildings in the C-1 district. These standards are intended to ensure an attractive built environment in Round Rock. Alternative designs may be approved in writing by the zoning administrator in order to implement a specific, recognized architectural style not accommodated by the design standards below, excluding corporate architecture. Additions to sites and projects with existing buildings may continue the design style that has been previously established.
 - (1) Exterior wall finish. The building materials of a project shall be durable, require low maintenance, and be of the same or higher quality as surrounding developments.
 - a. For all buildings, except for concrete tilt-wall construction:
 - 1. At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall be natural stone, simulated stone, brick, stone-face or split-face concrete masonry unit (CMU); and
 - No more than 25% may consist of stucco, fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as modified by subsection (e) below.
 - b. For buildings utilizing concrete tilt-wall construction:
 - 1. At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall be natural stone, simulated stone, brick, stone-face or split-face concrete masonry unit (CMU), or stucco.
 - i. Where stucco exceeds 75% of the total exterior wall finish, a minimum of four-foot (4') wainscot of stone, simulated stone, or brick shall be incorporated.

2. No more than 25% may consist of fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as modified by subsection (e)(1)e, below.

c. New or emerging materials not explicitly permitted herein may comprise a maximum of 25% of the total exterior wall finish if approved in writing by the zoning administrator based upon the product's durability and longevity.

d. All CMU shall have an ashlar pattern.

 e. Glass with steel framing shall not exceed 25% of the total exterior wall finish for buildings less than three (3) stories tall. Buildings that are three (3) stories or taller may consist of a maximum 50% glass with steel framing.

That Zoning and Development Code, Chapter 2, Article III, Section 2-33 (e)(1),

II.

- 3 Code of Ordinances (2018 Edition), City of Round Rock, Texas, is hereby amended as
- 4 follows:

CHAPTER 2. ZONING AND DEVELOPMENTSTANDARDS

5 6

1

Sec. 2-33. - C-1a (General Commercial - Limited) district.

11 12

13

14 15

16 17

18

19

20

21

22

2324

25

26

27

28

29

30

31

32

33

34

3536

37

38

39

- (e) General commercial limited design standards. The following design standards apply to all buildings in the C-1a district. These standards are intended to ensure an attractive built environment in Round Rock. Alternative designs may be approved in writing by the zoning administrator in order to implement a specific, recognized architectural style not accommodated by the design standards below, excluding corporate architecture. Additions to sites and projects with existing buildings may continue the design style that has been previously established.
 - (1) Exterior wall finish. The building materials of a project shall be durable, require low maintenance, and be of the same or higher quality as surrounding developments.
 - a. For all buildings, except for concrete tilt-wall construction:
 - 1. At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall be natural stone, simulated stone, brick, stone-face or split-face concrete masonry unit (CMU); and
 - No more than 25% may consist of stucco, fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as modified by subsection (e) below.
 - b. For buildings utilizing concrete tilt-wall construction:
 - 1. At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall be natural stone, simulated stone, brick, stone-face or split-face concrete masonry unit (CMU), or stucco.
 - i. Where stucco exceeds 75% of the total exterior wall finish, a minimum four-foot (4') wainscot of stone, simulated stone, or brick shall be incorporated.
 - 2. No more than 25% may consist of fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as modified by subsection (e)(1)e, below.
 - c. New or emerging materials not explicitly permitted herein may comprise a maximum of 25% of the total exterior wall finish if approved in writing by the zoning administrator based upon the product's durability and longevity.
 - d. All CMU shall have an ashlar pattern.
 - e. Glass with steel framing shall not exceed 25% of the total exterior wall finish for buildings less than three (3) stories tall. Buildings that are three (3) stories or taller may consist of a maximum 50% glass with steel framing.

40

III.

1

39

40

41

42

e.

That Zoning and Development Code, Chapter 2, Article V, Section 2-58 (e)(1), 2 Code of Ordinances (2018 Edition), City of Round Rock, Texas, is hereby amended as 3 follows: 4 5 **CHAPTER 2. ZONING AND DEVELOPMENTSTANDARDS** 6 7 8 Sec. 2-58. – PF-3 (Public Facilities – High Intensity) district. 9 10 (e) Public facilities - high intensity design standards. The following design standards apply to all buildings in the PF-3 district. These standards are intended to ensure an attractive built environment 11 in Round Rock. Alternative designs may be approved in writing by the zoning administrator in order 12 13 to implement a specific, recognized architectural style not accommodated by the design standards 14 below, excluding corporate architecture. Additions to sites and projects with existing buildings may 15 continue the design style that has been previously established. (1) Exterior wall finish. The building materials of a project shall be durable, require low 16 maintenance, and be of the same or higher quality as surrounding developments. 17 18 For all buildings, except for concrete tilt-wall construction: 19 At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall 20 be natural stone, simulated stone, brick, stone-face or split-face concrete masonry 21 unit (CMU); and 22 No more than 25% may consist of stucco, fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as 23 modified by subsection (e)(1)e, below. 24 25 b. For buildings utilizing concrete tilt-wall construction: 26 At least 75% of the total exterior wall finish, except for doors, windows, and trim, shall 27 be natural stone, simulated stone, brick, stone-face or split-face concrete masonry 28 unit (CMU), or stucco. 29 Where stucco exceeds 75% of the total exterior wall finish, a minimum of fourfoot (4') wainscot of stone, simulated stone, or brick shall be incorporated. 30 31 No more than 25% may consist of fiber cement siding, architectural steel or metal, CMU other than split-face or stone face, or glass with steel framing, except as 32 modified by subsection (e)(1)e, below. 33 34 New or emerging materials not explicitly permitted herein may comprise a maximum of 35 25% of the total exterior wall finish if approved in writing by the zoning administrator based 36 upon the product's durability and longevity. 37 d. All CMU shall have an ashlar pattern. 38

maximum 50% glass with steel framing.

Glass with steel framing shall not exceed 25% of the total exterior wall finish for buildings

less than three (3) stories tall. Buildings that are three (3) stories or taller may consist of a

- That the City Council has considered and hereby make the following findings regarding this amendment:
- 1. It is consistent with the general plan;
- It advances the stated scope and purpose of the Zoning and Development
 Code as stated in Section 1-3 of the Code; and
 - 3. It advances the stated purpose of any zoning district it may affect.

A. All ordinances, parts of ordinances, or resolutions in conflict herewith are expressly repealed.

٧.

- **B.** The invalidity of any section or provision of this ordinance shall not invalidate other sections or provisions thereof.
- C. The City Council hereby finds and declares that written notice of the date, hour, place and subject of the meeting at which this Ordinance was adopted was posted and that such meeting was open to the public as required by law at all times during which this Ordinance and the subject matter hereof were discussed, considered and formally acted upon, all as required by the Open Meetings Act, Chapter 551, Texas Government Code, as amended.

1	Alternative 1.
2	By motion duly made, seconded and passed with an affirmative vote of all the
3	Council members present, the requirement for reading this ordinance on two separate
4	days was dispensed with.
5	READ, PASSED, and ADOPTED on first reading this day of
6	, 2019.
7	Alternative 2.
8	READ and APPROVED on first reading this the day of
9	, 2019.
10	READ, APPROVED and ADOPTED on second reading this the day or
11	, 2019.
12	
13	ODAIO MODOANI Massar
14 15	CRAIG MORGAN, Mayor City of Round Rock, Texas
16	ATTEOT
17 18	ATTEST:
19	CADA L MULTE City Clark
20	SARA L. WHITE, City Clerk