



DATE: July 21, 2021  
QUOTE #:279612-01

CITY OF ROUND ROCK  
MARSHALL REYNOLDS

Jeffrey Kell  
512.917.3277

221 E MAIN AVE  
ROUND ROCK, TEXAS 78664-5271

One (1) New Caterpillar Inc. Model: 320 TC Excavators with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HLK045286

SERIAL NUMBER: 0MYK11075

SALE PRICE	\$218,186.00
EXT WARRANTY	Included
<b>TOTAL PRICE</b>	<b>\$218,186.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$218,186.00</b>
<b>TOTAL SOURCEWELL PURCHASE PRICE</b>	<b>\$218,186.00</b>

Total List Price	\$261,416.00
Sourcewell Discount 15%	(\$39,212.00)
Adjusted Sales Price	\$222,204.00
Dealer Prep	\$1,750.00
Delivery	\$950.00
Holt discount for City of Round Rock	(\$6,718.00)
Total Sourcewell Purchase Price	\$218,186.00

**Sourcewell # 032119-CAT**

**Delivery – October/November 2021**  
**Stiff Link Thumb 4-6 weeks**

Delivery - subject to change based on time of Order

**WARRANTY**

Standard Warranty: 12 Month/Unlimited Hours Total Machine

**NOTES**

Includes Stiff Link thumb, 60" ditch cleaning bucket, Auxiliary Hydraulics for Hammer & Mulcher, Pin Grabber Coupler Hydraulic

Add: 24" Bucket with Pins - \$6,843.00

**MACHINE SPECIFICATIONS****STOCK NUMBER: HLK045286****SERIAL NUMBER: 0MYK11075**

DESCRIPTION	REF.#
320 07D HEX AM-N CFG1C	597-0860
320 07 EXCAVATOR ARRANGEMENT	547-3690
COMMON ARRANGEMENT	578-6723
GUARD, SWIVEL, STD	134-8875
LINES, FRONT, STD	489-2950
COOLING, HIGH AMBIENT	490-4847
PEDAL, STRAIGHT TRAVEL	490-7715
FINE SWING	493-9765
CYLINDER, BOOM	494-4985
BATTERIES, 2	506-5013
FRAME, SWING, SEMI HD	507-4794
MONITOR, 10"	511-9428
BOOM TUBE W/EOU	513-3210
SENSOR, PRESSURE, EOU	513-3214
FILM, OPERATING PATTERN, 2WAY	520-9418
MACHINE ECM	525-7678
CAB, DELUXE	546-0101
SWING DRIVE	561-1743
UC, LONG W/HD ROLLER	573-5697
COUNTERWEIGHT, 9,260LB	575-2658
BEARING, SWING, STD	577-2733
LIGHT, CHASSIS	577-3907
LINES, AIR CONDITIONER	577-7865
TRAVEL, ALARM	592-8316
LANE 3 ORDER	0P-9003
TRACK, 31" TG	521-3306
LIGHTS PKG, BOOM LH & RH	579-5428
LIGHT, BOOM LH	577-3925
LIGHT, BOOM RH	577-3927
HYDRAULIC PKG, COMB ADV	597-0797
VALVE, HYDRAULIC, TCS, HL	490-3949
LINES, MAKE UP, TCS	492-2066
RETURN PIPE, TCS/TCS MP	561-2355
CIRCUIT, COMBINED, ADV	577-8963
LINES, DRAIN, PG QUICK COUPLER	549-8149
SUCTION LINE, PUMP, STD	489-2952
CAMERA, REAR & RH VIEW	593-7355
GRADE W/2D, ASSIST&PAYLOAD	516-0550
GUARD, BOTTOM, STD	576-9411

DESCRIPTION	REF.#
GUARD, TRAVEL MOTOR, STD	488-9287
DECALS, EXTERIOR, ANSI	578-2907
DECALS, CAB, ANSI	573-4351
INSTRUCTIONS, ENGLISH	0P-3380
PRODUCT LINK, PLE683/783 RADIO	594-9050
RADIO MODULE, PL083 SATELLITE	592-6118
WIRING, PRODUCT LINK ELITE	594-2025
LINES, HP, REACH BOOM	578-9186
STORAGE PROTECTION (EXPORT)	0P-7563
LINES, HP, R9'6" STICK	356-8117
STARTING AID, ETHER	511-5861
QUICK DRAINS READY	490-7705
CONTROL, QC	517-4758
LINES, QC, REACH BOOM	570-4691
LINES, QC, R9'6" STICK	242-6490
COUPLER PG W/O PIN B1	455-3910
FILM, EMC	528-4738
HANDHOLDS, RAD COMPARTMENT	508-9617
BOOM, REACH 18'8"	577-5863
CYLINDER, BKT, B1	490-4179
DECALS, STICK WARNING, ANSI	567-3815
GRADE SENSOR, REACH BOOM	516-9880
STICK, R9'6"	490-7673
LINKAGE, BKT, B1 W/EYE GRADE	492-8537
GRADE SENSOR, R9'6"/9'8" STICK	516-9883
WIPER, RADIAL W/O LOWER	484-8021
DECAL, ROPS	567-3816
ROLL ON-ROLL OFF	0G-4202
ANTIFREEZE, -50C (-58F)	0P-2407
GUARD, TRACK GUIDE, SEGMENTED	526-8766
RADIO, W/BLEETOOTH	502-7166
NETWORK MANAGER, STD	555-7286
JOYSTICKS, VERTICAL SLIDER	528-6835
MIRROR, CAB, W/O GUARD	580-8628
LIGHTS, CAB, W/RAIN PROTECTOR	577-8973
CYLINDER, STICK	586-3636
STORAGE PROTECTION (EXPORT)	0G-4126

## STANDARD EQUIPMENT

---

### POWERTRAIN

C4.4e twin turbo Tier 4 Final diesel engine  
Electric fuel priming pump  
Reversible electric cooling fans  
Two-stage fuel filtration system with

water separator and indicator  
Sealed double element air filter with integrated pre-cleaner  
Biodiesel capable (up to B20)

### UNDERCARRIAGE

Grease lubricated track link  
Tie down points on base frame

(ISO 15818 compliant)

### HYDRAULICS

Electronic main control valve  
Auto warm up  
Tandem type electronic main pump  
Boom and stick regeneration circuits

Automatic two speed travel  
Boom and stick drift reduction valve  
Element type main hydraulic filter

### ELECTRICAL

Maintenance free battery  
Centralized electrical disconnect switch  
CAT product link  
After engine shut down programmable

time delay LED working lights:  
One chassis mounted, one LH boom mounted

### OPERATOR ENVIRONMENT

Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount  
Increased rear window size as emergency exit  
Openable tempered front upper windshield w/assist device and removable tempered lower windshield with in cab storage bracket  
2 inch (51mm) orange seat belt  
Upper radial wiper for 70/30  
Automatic bi-level air conditioner with pressurized function  
Washable floor mat  
Beacon ready  
2 x 12V DC outlet and USB port  
Dome and lower LED interior lights, coat hook, cup holder, console storage

rear storage with net, and overhead storage with net  
(Comfort cab) - for Japan  
-Mechanical suspension comfort seat w/ headrest, console height adjustment w/ tools, arm rest angle adjustment  
-Fixed left side console  
-Openable steel hatch  
(Deluxe cab)  
-Air suspension deluxe seat w/ headrest w/ 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment  
-Tilt up left side console  
-Openable polycarbonate hatch for 2P windshield

### SAFETY AND SECURITY

RH hand rail and hand hold  
(ISO 2867 compliant)  
Service platform with anti-skid plate  
and countersunk bolts  
Hydraulic lock out lever neutralizes

all controls  
Ground level accessible secondary engine  
shutoff switch in cab  
Signaling / warning horn

#### **OTHER STANDARD EQUIPMENT**

Side entry to service platform  
Grouped location for engine oil  
and fuel filters  
Ground level 2nd dipstick for engine oil

Sampling ports for scheduled oil  
Sampling (S.O.S)  
Remote flash





DATE: July 20, 2021  
QUOTE #:279611-01

CITY OF ROUND ROCK  
MARSHALL REYNOLDS

Jeffrey Kell  
512.917.3277

221 E MAIN AVE  
ROUND ROCK, TEXAS 78664-5271

One (1) New Caterpillar Inc. Model: 430 C4EX Backhoe Loaders with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HCT011279

SALE PRICE	\$117,613.00
EXT WARRANTY	Included
<b>TOTAL PRICE</b>	<b>\$117,613.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$117,613.00</b>
<b>TOTAL SOURCEWELL PURCHASE PRICE</b>	<b>\$117,613.00</b>

List price New Caterpillar 430	\$153,658.00
Sourcewell Discount 22%	(\$33,804.00)
Adjusted Sales price	\$119,854.00
Dealer prep	\$850.00
One year Warranty	\$140.00
Delivery	\$450.00
Holt Discount for City of Round rock	(\$3,681.00)
<b>TOTAL SOURCEWELL PURCHASE PRICE</b>	<b>\$117,613.00</b>

#### WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine

#### NOTES

4x2, Open Cab, E-Stick, Hydraulic Wet Kit Lines, Wain Roy coupler, bucket rear 18" or 24", Work lights F&R  
Delivery – 2022 January/February subject to Factory order

DATE: July 20, 2021QUOTE #:Quote 279611-01

#### MACHINE SPECIFICATIONS

**STOCK NUMBER: HCT011279**

DESCRIPTION	REF.#
430 07A BACKHOE LOADER CFG2	543-3343
PT, 4WD/2WS, POWERSHIFT	544-1066
ENGINE, 86KW, C3.6 DITA, T4F	543-5181
HYD, MP, 6FCN/8BNK, ST, QC	554-4188
<b>STICK, EXTENDABLE, 15FT</b>	543-4286
BUCKET-GP, 1.31 YD3, IT	251-1800
<b>LINES, COMBINED AUX, E-STICK</b>	548-1233
COUNTERWEIGHT, 1015 LBS	337-9696
TIRES, 12.5 80/19.5L-24, GY	379-2161
BUCKET-HD, 18", 4.2 FT3	219-3386
GUARD, STABILIZER	353-1389
COLD WEATHER PACKAGE, 120V	551-6940
MIRRORS, EXTERNAL, BOTH SIDES	382-2499
<b>OPEN ROPS</b>	
TEETH	9R-5866
BEACON, MAGNETIC MOUNT, STROBE	433-0154
STABILIZER PADS, FLIP-OVER	9R-6007
PLATE GROUP - BOOM WEAR	270-3204
SHIPPING/STORAGE PROTECTION	461-6839
RUST PREVENTATIVE APPLICATOR	462-1033
PACK, DOMESTIC TRUCK	0P-0210
AUTO-UP STABILIZERS	567-5090
INSTRUCTIONS, ANSI	559-0872
SERIALIZED TECHNICAL MEDIA KIT	421-8926
BELT, SEAT, 2" SUSPENSION	206-1747
PRODUCT LINK, CELLULAR, PLE643	560-6797
DISPLAY, STANDARD	545-5047
<b>WORKLIGHTS (8) HALOGEN LAMPS</b>	491-6734
LANE 3 ORDER	0P-9003



## STANDARD EQUIPMENT

---

### BOOMS, STICKS, AND LINKAGES

#### BACKHOE

- 15' Center pivot backhoe
- 4.5 Meters
- Boom and swing transport locks
- Pilot operated backhoe and electro hydraulic stabilizer controls
- Street type stabilizer shoes
- Anti-drift hydraulics (boom, stick, and E-stick)
- Cat Cushion Swing(tm) system

### POWERTRAIN

- Water separator
- Thermal starting aid system
- Dry type axial seal air cleaner with integral precleaner
- Automatic dust ejection system
- Filter condition indicator
- Hydraulically boosted multi-plate wet disk brake with dual pedals & interlock
- Differential lock

### HYDRAULICS

- Pilot hoe and mechanical loader controls
- Load sensing, variable flow system with 43 gpm (162 L/min) axial piston pump
- 6 micron hydraulic filter

### ELECTRICAL

- 12 volt electrical start
- Horn, front and rear
- Backup alarm
- Hazard flashers/turn signals
- Halogen head lights (2)
- Halogen rear flood lights (2)
- Stop and tail lights

### OPERATOR ENVIRONMENT

- Interior rearview mirror
- ROPS canopy, Rear Fenders
- 2-inch (50mm) retractable seat belt

#### LOADER

- Single Tilt Loader
- Lift cylinder brace
- Self-leveling loader with single lever control
- Return-to-dig (automatic bucket positioner)
- Transmission neutralizer switch
- Bucket level indicator

- Drive-line parking brake
- Torque converter
- Neutral safety switch
- Spin-on filters for Fuel
- Engine oil
- Transmission oil
- Outboard Planetary Rear Axles
- Diesel particulate filter
- Hydrostatic power steering

- Caterpillar XT-3 hose
- Hydraulic oil cooler
- Pilot control shutoff switch
- Flow-sharing hydraulic valves
- Hydraulic suction strainer

- Audible system fault alarm
- Key start/stop system
- 850 CCA maintenance free battery
- Battery disconnect switch
- External Power Receptacle (12v)
- Diagnostic ports for engine and machine Electronic Control Modules

- Automatic Engine Speed Control
- One Touch Low Idle
- Floor mat and Coat Strap

- Tilt steering column
- Steering knob
- Hand and foot throttle

- Lockable storage area
- Air suspension seat

## **FLUIDS**

- Antifreeze - Extended Life Coolant

-20F (-30C)

## **OTHER STANDARD EQUIPMENT**

- Standard Storage Box
- Transport tie-down points
- Ground line fill fuel tank with  
42.3 gal (160L) capacity & 5 gal (19L)  
diesel exhaust fluid
- Rubber impact strips on radiator

- guard
- CD-ROM Parts Manual
- Safety Manual
- Operations and Maintenance Manual
- Lockable hood
- Tire Valve Stem Protection

## CAT® BACKHOE LOADER

**YOU SPOKE, WE LISTENED**



CAT® BACKHOE LOADERS BUILT WITH CUSTOMERS INPUT

- NEW Operator Display Improves User Interface
- Effortlessly Shift Gears with the Powershift Transmission
- SAHR Parking Brake provides Peace of Mind
- Proportional Thumb Rollers on the Joysticks Improve Aux Hydraulic Control.

Caterpillar: Confidential Green

UP TO **10%\*** MORE PERFORMANCE

- NEW Cat® C3.6 provides 10%+ more Fuel Efficiency
- Up to 15% more Boom Lift Performance (420)
- Standard 4wd gets you out of any Sticky Situation

- Change Attachments for various applications with a touch of a button
  - > Pallet Forks
  - > Material Handling Arms
  - > Snow Pushes

