

# **Certificate of Appropriateness Application**Historic Preservation Commission

Submit this form and all necessary attachments (see checklist) at least 14 days before the Historic Preservation Commission meeting to the Planning & Development Services Department, 301 W. Bagdad Avenue, Suite 210, Round Rock, Texas 78664; ph. 512-218-5428.

Address:  Phone:  Fax:  Benail:  Cowner  Architect/contractor  Other:  Developer contact information  Name:  Phone:  Fax:  Email:  Email:  Property Address:  In the space below, briefly describe the work proposed (use separate page(s) if necessary).	Applicant contact	t information	
Address:    Phone:	Name:		
Property Address:  In the space below, briefly describe the work proposed (use separate page(s) if necessary).  Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.	Address:		
Developer contact information  Name:  Phone:  Fax:  Email:  Property Address:  In the space below, briefly describe the work proposed (use separate page(s) if necessary).  Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.	Phone:	Fax:	Email:
Phone: Fax: Email:  Property Address:  1. In the space below, briefly describe the work proposed (use separate page(s) if necessary).  2. Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.	Role:	☐ Architect/contractor ☐	Other:
Phone: Fax: Email: Property Address:  1. In the space below, briefly describe the work proposed (use separate page(s) if necessary).  2. Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.	Developer contac	t information	
Phone: Fax: Email: Property Address:  1. In the space below, briefly describe the work proposed (use separate page(s) if necessary).  2. Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.	Name:		
<ol> <li>In the space below, briefly describe the work proposed (use separate page(s) if necessary).</li> <li>Please refer to the attachment checklist for additional materials necessary to evaluate the proposed work.</li> </ol>			
	2. Please refer to proposed wor	o the attachment checklist fo	

Signature Date

# Supreme® Regional Colors (See Map)



Amber<sup>†</sup> Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 13.



Beachwood Sand<sup>†</sup> Not available in Service Areas 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14.



Weathered Wood<sup>†</sup> Not available in Service Areas 1, 4, 9, 12, 13, 14.



Bark Brown<sup>†</sup> Not available in Service Areas 1, 2, 3, 6, 8, 10, 11, 12, 13, 14.



Teak<sup>†</sup> Not available in Service Areas 1, 2, 3, 9, 12, 13, 14.



Antique Silver<sup>†</sup> Not available in Service Areas 1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13.



Chapel Gray<sup>1</sup> 1, 2, 3, 6, 8, 10, 11, 12, 13, 14.



Williamsburg Gray<sup>†</sup> Not available in Service Areas 1, 3, 4, 5, 7, 8, 9, 10, 11,12,13,14.



Oxford Gray<sup>†</sup> Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 9, 12, 13, 14.



Spanish Red<sup>†</sup> Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14.



Forest Green<sup>†</sup> Not available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14.



Chateau Green<sup>†</sup> Not available in Service Areas 10, 11, 12, 13, 14.

#### **Product Attributes**

#### Warranty Length\*

25-Year Limited

Wind Resistance Limited Warranty\* 60 MPH

Algae Resistance Limited Warranty\*

10 Years



TruPROtection® Non-Prorated Limited Warranty\* Period

## Supreme® Shingles Product Specifications

	IMPERIAL	METRIC††
Nominal Size	12" x 36"	131/4" x 393/8"
Exposure	5"	55/8"
Shingles per Square	80	65
Bundles per Square	3	3
Coverage per Square	100 sq. ft.	99.98 sq. ft.

## Color availability varies by Service Area.



- ## Available in Algae Resistance in Service Area 13 (see map).
- tt Available only in Service Areas 13 and 14 (see map).
- § Applicable only in Service Area 3 (see map).
- ‡ Applies for all areas that recognize Miami-Dade Product Control Section.
- # International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.
- ## Underwriters Laboratories Evaluation Service Evaluation Report.

### **Applicable Standards and Codes**

ASTM D228

ASTM D3018 (Type 1)

**ASTM D3462** 

ASTM D3161 (Class F Wind Resistance)

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

Florida Product Approval§

ICC-ES AC438#

Miami-Dade County Product Approval<sup>‡</sup>

UL ER2453-01##

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council



Three-tab shingles offer a solid value with curb appeal and lasting durability. Constructed of durable weathering-grade asphalt and a tough Fiberglas™ mat core, Supreme® Shingles come with a 25-Year Limited Warranty,\* a 60-MPH Wind Resistance Limited Warranty\* and an Algae Resistance Limited Warranty\* available on a regional basis.

# Supreme® National Colors



Desert Tan+++



Autumn Brown<sup>†</sup>



 $Brownwood^{\dagger}$ 



 $Driftwood^{\dagger/\sharp\sharp}$ 



Onyx Black<sup>†</sup>



Estate Gray<sup>t/##</sup>



Aspen Gray<sup>†</sup>



Shasta White<sup>†</sup>